



US00D727430S

(12) **United States Design Patent**  
**Sumii et al.**

(10) **Patent No.:** **US D727,430 S**  
(45) **Date of Patent:** **\*\* Apr. 21, 2015**

(54) **CONTROLLER FOR ELECTRONIC DEVICE**

(71) Applicant: **Sony Computer Entertainment Inc.,**  
Tokyo (JP)

(72) Inventors: **Tetsu Sumii, Tokyo (JP); Ennin Huang,**  
Tokyo (JP)

(73) Assignee: **Sony Computer Entertainment, Inc.,**  
Tokyo (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/460,698**

(22) Filed: **Jul. 12, 2013**

(30) **Foreign Application Priority Data**

Feb. 19, 2013 (JP) ..... D2013-003275

(51) **LOC (10) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/333; D14/410**

(58) **Field of Classification Search**  
CPC ..... A63F 13/02; A63F 11/00; A63F 3/00;  
A63F 9/00; A63F 13/08; A63F 2001/00;  
G06F 17/00; G06F 19/00; G06F 17/32;  
G06F 3/00

USPC ..... D14/399-401, 412-416; D21/324, 333;  
273/148 B; 463/1, 29-39, 46, 47;  
345/156-161, 905

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,551,693 A	9/1996	Goto et al.	
D382,603 S	8/1997	Goto	
D393,885 S	4/1998	Goto	
5,759,100 A *	6/1998	Nakanishi	..... 463/37
D397,164 S	8/1998	Goto	
D398,032 S	9/1998	Goto	
D402,317 S	12/1998	Goto	

D405,835 S	2/1999	Goto
D416,588 S	11/1999	Goto
D430,222 S	8/2000	Goto
D430,223 S	8/2000	Goto
D431,051 S	9/2000	Goto
D439,580 S	3/2001	Goto
D441,369 S	5/2001	Goto
D442,180 S	5/2001	Goto
D443,617 S	6/2001	Goto
D443,618 S	6/2001	Goto
D443,877 S	6/2001	Goto
D444,469 S	7/2001	Goto
D444,470 S	7/2001	Goto

(Continued)

**OTHER PUBLICATIONS**

<http://web.archive.org/web/20100327094036/http://clarkperf.thomasnet.com>, dated Mar. 27, 2010, retrieved on internet on Jul. 22, 2014.\*

(Continued)

*Primary Examiner* — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer PLLC

(57) **CLAIM**

The ornamental design for the controller for electronic device, as shown and described.


**DESCRIPTION**

FIG. 1 is a front, bottom, right perspective view of the controller for electronic device showing our new design; FIG. 2 is a front, top, left perspective view thereof; FIG. 3 is a front elevational view thereof; and, FIG. 4 is a bottom plan view thereof.

Depth of the twelve (12) small holes and the button large hole does not form part of the claimed design.

The broken lines showing of the controller for electronic device are for environmental purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D489,355 S \* 5/2004 Yeh ..... D14/188  
D561,190 S \* 2/2008 Goto  
D568,411 S \* 5/2008 Navid et al. .... D21/333  
D585,931 S \* 2/2009 Palmer ..... D18/7  
D586,865 S \* 2/2009 Ko et al. .... D21/333  
D636,772 S \* 4/2011 Cheng ..... D14/400  
D644,211 S \* 8/2011 Hao et al. .... D14/219  
8,517,835 B2 \* 8/2013 Dwyer et al. .... 463/36

8,550,915 B2 \* 10/2013 Ashida et al. .... 463/37  
D699,212 S \* 2/2014 Tanaka ..... D14/188  
2008/0015017 A1 \* 1/2008 Ashida et al. .... 463/37  
2010/0279771 A1 \* 11/2010 Block et al. .... 463/37  
2011/0195785 A1 \* 8/2011 Ashida et al. .... 463/37

OTHER PUBLICATIONS

[http:// google.com/search?hl=en&site=imghp&tbm=isch&source=hp&biw](http://google.com/search?hl=en&site=imghp&tbm=isch&source=hp&biw), retrieved on Jul. 23, 2014.\*

\* cited by examiner




FIG. 1






FIG. 2



*FIG. 3*



*FIG. 4*