

US00D727878S

(12) **United States Design Patent**
Newhart et al.

(10) **Patent No.:** **US D727,878 S**
(45) **Date of Patent:** **** Apr. 28, 2015**

(54) **HEADPHONE CORD SLEEVE**

(71) Applicants: **Scott Newhart**, Sandpoint, ID (US);
Jeffrey Walker, Torrance, CA (US)

(72) Inventors: **Scott Newhart**, Sandpoint, ID (US);
Jeffrey Walker, Torrance, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/485,552**

(22) Filed: **Mar. 20, 2014**

(51) **LOC (10) Cl.** **14-01**

(52) **U.S. Cl.**
USPC **D14/224**

(58) **Field of Classification Search**

CPC H04R 25/00
USPC D14/224, 224.1, 217; D8/356;
D16/100, 330; D21/694; 24/3.3, 16 R,
24/16 PB; D23/223; 381/327, 370, 385,
381/388, 384; 174/68.3, 137 R; 439/369,
439/367, 501; 220/4.04; 206/388
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,061,054	A *	5/1913	Dyer	24/16 R
1,606,165	A *	11/1926	Glenn	381/384
2,377,556	A *	6/1945	Jeannin	417/62
2,393,530	A *	1/1946	Harris	87/9
2,438,146	A *	3/1948	Candee et al.	174/68.3
3,014,087	A *	12/1961	Kaplan et al.	174/69
4,541,696	A *	9/1985	Winger et al.	351/123
4,920,235	A *	4/1990	Yamaguchi	174/36
D309,619	S *	7/1990	Kalbach	D16/339
D328,138	S *	7/1992	Nadherny-Borutin	D25/100
6,111,194	A	8/2000	Kroulik	
7,622,670	B1	11/2009	Sanderson et al.	
D653,100	S *	1/2012	Chen	D8/356

(Continued)

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Howson & Howson LLP


(57) **CLAIM**

The ornamental design for a headphone cord sleeve, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a headphone cord sleeve according to our new design;
 FIG. 2 is a front elevational view of the headphone cord sleeve of FIG. 1, the rear elevational view being a mirror image thereof;
 FIG. 3 is a right side elevational view of the headphone cord sleeve of FIG. 2, the left side elevational view being a mirror image thereof;
 FIG. 4 is a top plan view of the headphone cord sleeve of FIG. 2, the bottom plan view being a mirror image thereof;
 FIG. 5 is a perspective view of a second embodiment of a headphone cord sleeve according to our new design;
 FIG. 6 is a front elevational view of the headphone cord sleeve of FIG. 5, the rear elevational view being a mirror image thereof;
 FIG. 7 is a right side elevational view of the headphone cord sleeve of FIG. 6, the left side elevational view being a mirror image thereof;
 FIG. 8 is a top plan view of the headphone cord sleeve of FIG. 6, the bottom plan view being a mirror image thereof;
 FIG. 9 is a perspective view of a third embodiment of a headphone cord sleeve according to our new design;
 FIG. 10 is a front elevational view of the headphone cord sleeve of FIG. 9, the rear elevational view being a mirror image thereof;
 FIG. 11 is a right side elevational view of the headphone cord sleeve of FIG. 10, the left side elevational view being a mirror image thereof; and,
 FIG. 12 is a top plan view of the headphone cord sleeve of FIG. 10, the bottom plan view being a mirror image thereof.
 The headphone cord sleeve has been shown broken in each of FIGS. 1-3, 5-7 and 9-11 to indicate indeterminate length.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

8,227,693 B2 *	7/2012	Katou et al.	174/72 A	8,383,941 B2	2/2013	Goodman	
D670,455 S *	11/2012	Lipscomb	D30/160	2001/0010727 A1 *	8/2001	Urwyler	381/384
				2011/0290532 A1	12/2011	Cano, Jr.	
				2013/0336515 A1	12/2013	Centrilla, III	

* cited by examiner

