



US00D728337S

(12) **United States Design Patent**
Henssler et al.

(10) **Patent No.:** **US D728,337 S**

(45) **Date of Patent:** **** May 5, 2015**

- (54) **OSCILLATORY DRIVE**
- (71) Applicants: **Heinrich Henssler**, Schwaebisch Gmuend (DE); **Martin Schultheiss**, Schwaebisch Gmuend (DE)
- (72) Inventors: **Heinrich Henssler**, Schwaebisch Gmuend (DE); **Martin Schultheiss**, Schwaebisch Gmuend (DE)
- (73) Assignee: **C. & E. Fein GmbH** (DE)
- (**) Term: **14 Years**

D598,260 S *	8/2009	Jerome et al.	D8/61
D602,756 S	10/2009	Henssler et al.	
D637,055 S *	5/2011	Schomisch	D8/62
D637,056 S *	5/2011	Schomisch	D8/62
D637,057 S *	5/2011	Schomisch	D8/62
D643,700 S	8/2011	Schultheiss et al.	
D653,922 S *	2/2012	Henssler et al.	D8/61
D658,464 S *	5/2012	Kawase et al.	D8/61
D659,499 S *	5/2012	Okuda et al.	D8/61
D662,800 S *	7/2012	Blythe et al.	D8/61
D663,181 S *	7/2012	Zhou et al.	D8/61
D683,202 S *	5/2013	Aglassinger	D8/61
D696,916 S *	1/2014	Takahashi et al.	D8/61
D712,224 S *	9/2014	Zhang	D8/61
D718,108 S *	11/2014	Beukema	D8/61

(21) Appl. No.: **29/493,483**

(22) Filed: **Jun. 10, 2014**

(30) **Foreign Application Priority Data**

Dec. 10, 2013 (EM) 001393102

(51) **LOC (10) CL.** **08-01**

(52) **U.S. CL.**
USPC **D8/61**

(58) **Field of Classification Search**
USPC D8/61, 62, 67, 69; 81/57, 57.11, 57.14,
81/57.26, 429, 464, 469; 173/2, 170, 176,
173/181

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,961 S *	2/1992	Fushiya et al.	D8/61
D511,284 S	11/2005	Henssler et al.	
D567,046 S	4/2008	Henssler et al.	
D580,247 S *	11/2008	Taniguchi et al.	D8/61
D588,891 S *	3/2009	Hayakawa et al.	D8/61
D593,826 S *	6/2009	Aglassinger	D8/62

FOREIGN PATENT DOCUMENTS

DE M9601946.8 8/1996

* cited by examiner

Primary Examiner — Austin Murphy

(74) *Attorney, Agent, or Firm* — St. Onge Steward Johnston & Reens LLC


(57) **CLAIM**

The ornamental design for an oscillatory drive, as shown and described.

DESCRIPTION

FIG. 1 is a left side isometric view of an oscillatory drive in accordance with the new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a bottom plan view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7