



US00D728469S

(12) **United States Design Patent**
Castelli

(10) **Patent No.:** **US D728,469 S**
(45) **Date of Patent:** **** May 5, 2015**

(54) **BATTERY CASE FOR SMART PHONE**

(71) Applicant: **Tzumi Accessories Corp.**, New York,
NY (US)

(72) Inventor: **Joseph Castelli**, New York, NY (US)

(73) Assignee: **Tzumi Electronics LLC**, New York, NY
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/506,468**

(22) Filed: **Oct. 16, 2014**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103; D14/250**

(58) **Field of Classification Search**

CPC Y02E 60/12; Y02E 60/122; Y02E 60/124;
Y02E 60/50; H01M 2/02; H01M 2/022;
H01M 2/0202; H01M 2/0207; H01M 2/0212;
H01M 2/1061; H01M 2/1022; H01M 2/1055;
H01M 2/1066; H01M 2/105; H01M 2/204;
H01M 10/4257; H01M 10/0436; H01M 10/48;
H04M 1/04; H04M 1/0262; H04M 1/0283;
H04M 1/185; G06F 11/1635
USPC D13/102–108, 110, 119–121, 184;
429/96–100, 163, 176; D14/250–253,
D14/217, 238.1, 248, 440, 496, 356;
455/575.1, 575.8; 220/4.02; 206/305,
206/320, 251, 45.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D357,896 S * 5/1995 Berry D13/103
5,973,477 A * 10/1999 Chang 320/114
D537,774 S * 3/2007 Hussaini et al. D13/103
D539,277 S * 3/2007 Okada et al. D14/248

D542,286 S * 5/2007 Taniyama et al. D14/248
7,612,997 B1 * 11/2009 Diebel et al. 361/679.56
D621,393 S * 8/2010 Panahi et al. D14/250

(Continued)

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Notaro, Michalos &
Zaccaria P.C.

(57) **CLAIM**

The ornamental design for a battery case for smart phone, as
shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a battery case for smart phone
showing my design therefor;

FIG. 2 is a right side elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a front elevational view thereof, showing a camera
opening in dashed lines, which opening does not form a part
of the claimed design;

FIG. 7 is a top, front, right side perspective view thereof;

FIG. 8 is a right side, front perspective view of a second
embodiment of a battery case for smart phone for use with a
different smartphone, also showing a camera opening, a
smartphone covering case, and a connector cord for connect-
ing a smartphone to the battery case for smart phone. The
camera opening, smartphone covering case, and a connector
cord are shown in dashed lines for context, and do not form a
part of the claimed design;

FIG. 9 is a bottom plan view of a second embodiment of a
battery case for smart phone;

FIG. 10 is a right side elevational view thereof;

FIG. 11 is a rear elevational view thereof;



FIG. 12 is a left side elevational view thereof;

FIG. 13 is a top plan view thereof;

FIG. 14 is a front elevational view thereof, showing a camera
opening in dashed lines, which opening does not form a part
of the claimed design; and,

FIG. 15 is a back, bottom, right side perspective view thereof.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D640,974 S * 7/2011 Kendall et al. D13/103

D653,655 S * 2/2012 Polito et al. D14/250

D662,044 S * 6/2012 Lemelman et al. D13/103

D666,144 S * 8/2012 Brand et al. D13/103

D679,271 S * 4/2013 Liu D14/250

2006/0121956 A1 * 6/2006 Lee 455/574

2014/0274230 A1 * 9/2014 Brzana et al. 455/575.1

* cited by examiner




FIG. 1



FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9



FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14

FIG. 15

