



US00D728551S

(12) **United States Design Patent**
Saeki et al.

(10) **Patent No.:** **US D728,551 S**
(45) **Date of Patent:** **** May 5, 2015**

(54) **JACKET FOR PORTABLE TERMINAL**

(71) Applicant: **Hosiden Corporation**, Yao-shi, Osaka
(JP)

(72) Inventors: **Shinichi Saeki**, Yao (JP); **Hiroki Niho**,
Yao (JP); **Norio Ichitsubo**, Yao (JP)

(73) Assignee: **Hosiden Corporation**, Yao-Shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/464,361**

(22) Filed: **Aug. 15, 2013**

(30) **Foreign Application Priority Data**

Apr. 23, 2013 (JP) 2013-009054

Apr. 23, 2013 (JP) 2013-009055

(51) **LOC (10) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/250**

(58) **Field of Classification Search**

USPC D14/250–253, 440, 203.3–203.7, 217,
D14/496, 248, 238.1, 240, 447; D3/201,
D3/218, 269, 301, 273, 303; D13/103,
D13/107–108; 220/4.02; 248/309.1;
361/679.56; 379/426, 433.11, 455;
455/575.1, 575.8; 190/100; 206/305,
206/320

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D626,746 S * 11/2010 Roman D3/269

D644,638 S * 9/2011 Melanson et al. D14/250

(Continued)

Primary Examiner — Carla Jobe Wright

Assistant Examiner — Holly E Thurman

(74) *Attorney, Agent, or Firm* — Rankin, Hill & Clark LLP

(57) **CLAIM**

The ornamental design for a jacket for portable terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front, right side and top perspective view of a jacket for portable terminal in accordance with a first embodiment of our new design;

FIG. 2 is a front elevation view of the jacket for portable terminal in accordance with the first embodiment of our new design;

FIG. 3 is a rear elevation view of the jacket for portable terminal in accordance with the first embodiment of our new design;

FIG. 4 is a left side view of the jacket for portable terminal in accordance with the first embodiment of our new design;

FIG. 5 is a right side view of the jacket for portable terminal in accordance with the first embodiment of our new design;

FIG. 6 is a top plan view of the jacket for portable terminal in accordance with the first embodiment of our new design;

FIG. 7 is a bottom plan view of the jacket for portable terminal in accordance with the first embodiment of our new design;

FIG. 8 is a front, right side and top perspective view of a jacket for portable terminal in accordance with a second embodiment of our new design;

FIG. 9 is a front elevation view of the jacket for portable terminal in accordance with the second embodiment of our new design;

FIG. 10 is a rear elevation view of the jacket for portable terminal in accordance with the second embodiment of our new design;


FIG. 11 is a left side view of the jacket for portable terminal in accordance with the second embodiment of our new design;

FIG. 12 is a right side view of the jacket for portable terminal in accordance with the second embodiment of our new design;

FIG. 13 is a top plan view of the jacket for portable terminal in accordance with the second embodiment of our new design; and,

FIG. 14 is a bottom plan view of the jacket for portable terminal in accordance with the second embodiment of our new design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D686,199 S * 7/2013 Fahrendorff et al. D14/250

D686,606 S * 7/2013 Hong D14/250

D686,607 S * 7/2013 Hong D14/250

D694,743 S * 12/2013 Monaco et al. D14/250

D702,672 S * 4/2014 Mather D14/250

D703,651 S * 4/2014 Ehrlich D14/250

D709,439 S * 7/2014 Ferber et al. D13/103

D714,275 S * 9/2014 Tompkin D14/250

D716,784 S * 11/2014 Wen D14/250

D719,950 S * 12/2014 Smith et al. D14/250

D720,740 S * 1/2015 Wicks et al. D14/250

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11



Fig. 12




Fig. 13




Fig. 14

