

US00D728801S

(12) **United States Design Patent**
Machon et al.

(10) **Patent No.:** **US D728,801 S**

(45) **Date of Patent:** **** May 5, 2015**

(54) **ELECTRODE HEADSET**

(71) Applicant: **Brainscope Company, Inc.**, Bethesda, MD (US)

(72) Inventors: **Lukasz W. Machon**, Darnestown, MD (US); **Neil S. Rothman**, Baltimore, MD (US)

(73) Assignee: **Brainscope Company, Inc.**, Bethesda, MD (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/448,016**

(22) Filed: **Mar. 8, 2013**

(51) **LOC (10) Cl.** **24-01**

(52) **U.S. Cl.**
USPC **D24/187**

(58) **Field of Classification Search**
USPC D24/168, 186–187, 200; 705/14.41;
600/372, 382, 383, 386, 393, 544, 554;
607/45, 46, 115, 139, 141; 702/189
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,787 S *	2/1985	Corbett	D24/187
D326,717 S *	6/1992	Henderson et al.	D24/168
D348,520 S *	7/1994	Wolf	D24/215
5,800,351 A *	9/1998	Mann	600/383
D405,538 S *	2/1999	Chih	D24/215
6,128,521 A *	10/2000	Marro et al.	600/383
6,360,122 B1 *	3/2002	Fischell et al.	600/544
D501,558 S *	2/2005	Chastain et al.	D24/187
D505,206 S *	5/2005	Chastain et al.	D24/187
D560,809 S	1/2008	Causevic et al.		
D565,735 S *	4/2008	Washbon	D24/187
D578,222 S *	10/2008	Sakurai et al.	D24/187
D603,051 S	10/2009	Causevic et al.		
7,720,530 B2	5/2010	Causevic		
7,904,144 B2	3/2011	Causevic et al.		
D641,886 S	7/2011	Causevic et al.		

D647,208 S	10/2011	Rothman et al.		
8,364,254 B2	1/2013	Jacquin et al.		
8,392,250 B2 *	3/2013	Pradeep et al.	705/14.41
8,744,808 B2 *	6/2014	Lee	600/544

(Continued)

OTHER PUBLICATIONS

<http://www.masimo.com/sedline/products.htm> [Accessed Apr. 15, 2012].

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Finnegan, Henderson, Farabow, Garrett & Dunner, LLP

(57) **CLAIM**



The ornamental design for an electrode headset, as shown and described.

DESCRIPTION

FIG. 1 is a front right perspective view of a first embodiment of an electrode headset showing our new design; FIG. 2 is a front elevation view thereof; FIG. 3 is a left side view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom view thereof; FIG. 7 is a front right perspective view thereof, with the electrode headset shown in a flexed position showing our new design; FIG. 8 is a front elevation view of FIG. 7; FIG. 9 is a left side view of FIG. 7; FIG. 10 is a rear elevation view of FIG. 7; FIG. 11 is a top plan view of FIG. 7; and, FIG. 12 is a bottom view of FIG. 7.

The portions depicted in broken lines are environment and the elements depicted in broken lines form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

2012/0065536 A1 3/2012 Causevic et al.

U.S. PATENT DOCUMENTS

OTHER PUBLICATIONS

2005/0107716 A1* 5/2005 Eaton et al. 600/544
2009/0018427 A1 1/2009 Causevic et al.
2009/0247894 A1* 10/2009 Causevic 600/544
2010/0041962 A1 2/2010 Causevic et al.
2011/0144520 A1 6/2011 Causevic et al.

<http://www.hydrodot.net/Products/statnet.html> [Accessed Apr. 15, 2012].

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12