

US00D728844S

(12) United States Design Patent

Johnson

(10) Patent No.:

US D728,844 S

(45) Date of Patent:

** May 5, 2015

(54)	CAR NIG	HTLIGHT
(71)	Applicant:	Cloud B, Inc., Gardena, CA (US)
(72)	Inventor:	Jeffery Wayne Johnson, Lawndale, CA (US)
(73)	Assignee:	Cloud B, Inc., Gardena, CA (US)
(**)	Term:	14 Years
(21)	Appl. No.:	29/439,812
(22)	Filed:	Dec. 14, 2012
(51)	LOC (10)	Cl 26-03
(52)	U.S. Cl.	
(52)		D26/97
	USPC	
	USPC Field of C	lassification Search F21L 4/00; F21S 9/02; F21S 48/145;
	USPC Field of C	lassification Search F21L 4/00; F21S 9/02; F21S 48/145; F21S 6/00; F21S 4/005; F21V 21/30
	USPC Field of C	lassification Search F21L 4/00; F21S 9/02; F21S 48/145; F21S 6/00; F21S 4/005; F21V 21/30 D26/24, 73, 94, 97; D11/131, 157, 163;
	USPC Field of C: CPC USPC	lassification Search F21L 4/00; F21S 9/02; F21S 48/145; F21S 6/00; F21S 4/005; F21V 21/30 D26/24, 73, 94, 97; D11/131, 157, 163; D21/298, 483, 533, 548; 362/124, 183,
	USPC Field of C: CPC USPC	lassification Search F21L 4/00; F21S 9/02; F21S 48/145; F21S 6/00; F21S 4/005; F21V 21/30 D26/24, 73, 94, 97; D11/131, 157, 163; D21/298, 483, 533, 548; 362/124, 183, 862/186, 249.16, 257, 310, 311.01, 311.06,
	USPC Field of C: CPC	lassification Search F21L 4/00; F21S 9/02; F21S 48/145; F21S 6/00; F21S 4/005; F21V 21/30 D26/24, 73, 94, 97; D11/131, 157, 163; D21/298, 483, 533, 548; 362/124, 183,

(56) References Cited

U.S. PATENT DOCUMENTS

D322 331	S	*	12/1991	Tsuji	D26/97
10022,001			12/1//1	1 5 cm J 1	. D20/2/
D419.207	S	*	1/2000	Lieberman	D21/549

D603,839 S	*	11/2009	Willis D21/549	İ
D632,347 S	*	2/2011	Hornsby et al D21/548	ı
D683,888 S	*	6/2013	Johnson D26/97	

^{*} cited by examiner

Primary Examiner — Brian N Vinson

(74) Attorney, Agent, or Firm—Brooks Acordia IP Law, P.C.

(57) CLAIM


The ornamental design for a car nightlight, as shown and described.


DESCRIPTION


- FIG. 1 is a perspective view of a car nightlight showing our new design;
- FIG. 2 is a front plan view of the embodiment of FIG. 1;
- FIG. 3 is a rear plan view of the embodiment of FIG. 1;
- FIG. 4 is a left side plan view of the embodiment of FIG. 1;
- FIG. 5 is a right side plan view of the embodiment of FIG. 1, the left side plan view being identical;
- FIG. 6 is a top plan view of the embodiment of FIG. 1; and, FIG. 7 is a bottom plan view of the embodiment of FIG. 1. Surface shading is used to shade FIGS. 1-7 to show clearly the


character and contour of all surfaces of the 3-dimensional aspects of the design and form a part of the design sought to be protected.

1 Claim, 3 Drawing Sheets












FIG. 6




FIG. 7