



US00D728909S

(12) **United States Design Patent**
Kenney

(10) **Patent No.:** **US D728,909 S**
(45) **Date of Patent:** **** May 12, 2015**

(54) **SOLE FOR SHOE**

(71) Applicant: **Eileen Kenney**, Afton, VA (US)

(72) Inventor: **Eileen Kenney**, Afton, VA (US)

(73) Assignee: **Kenney Sport, LLC**, Afton, VA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/446,318**

(22) Filed: **Feb. 22, 2013**

(51) **LOC (10) Cl.** **02-04**

(52) **U.S. Cl.**

USPC **D2/948**; D2/951; D2/952; D2/954

(58) **Field of Classification Search**

USPC D2/902, 906, 908, 916, 918, 925,
D2/946-962, 977; 36/3 B, 22 R, 24.5, 25 R,
36/28, 32 R, 34 R, 59 C, 67 A, 103

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

31,286 A	2/1861	Aiken	
438,179 A	10/1890	Quarrie	
642,286 A	1/1900	Berger	
2,754,598 A	5/1954	Aull	
3,032,897 A *	5/1962	Gelineau	36/7.5
3,402,485 A	9/1968	McMorrow	
3,538,628 A	11/1970	Einstein, Jr.	
4,050,167 A	9/1977	Senter	
4,050,168 A	9/1977	Pace	
4,958,446 A	9/1990	Brown	
D323,059 S *	1/1992	Hatfield	D2/954
5,331,753 A	7/1994	Rodibaugh	
5,465,507 A	11/1995	Schumacher et al.	
D378,108 S	2/1997	Shippy	
D381,795 S	8/1997	Coats	
5,926,974 A	7/1999	Friton	

5,980,351 A	11/1999	McCook	
D418,663 S	1/2000	Senif	
6,018,889 A	2/2000	Friton	
6,080,033 A	6/2000	Fladwood et al.	
6,226,896 B1	5/2001	Friton	
D472,038 S *	3/2003	Meynard	D2/956
6,578,290 B1 *	6/2003	Meynard	36/103
D481,200 S *	10/2003	Belley et al.	D2/947
6,957,704 B2	10/2005	Rogers et al.	
D525,017 S	7/2006	Ochoa	
D532,188 S	11/2006	McClaskie	
D604,031 S	11/2009	Andersen et al.	
D627,545 S *	11/2010	Raysse	D2/947
D642,363 S *	8/2011	Rajmohan et al.	D2/961
D655,077 S *	3/2012	Prandini	D2/961

(Continued)

FOREIGN PATENT DOCUMENTS

CN	2618470 Y	6/2004
WO	WO 2009/042296 A1	4/2009

Primary Examiner — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP


(57) **CLAIM**

The ornamental design for a sole for shoe, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the sole for shoe;
FIG. 2 is a top plan view thereof;
FIG. 3 is a right side view thereof, the left side view being a mirror image of the right side view; and,
FIG. 4 is a cross-sectional view through the centerline extending in the toe to heel direction along line 4-4 of FIG. 2.
The broken line structures in the drawings are included for the purposes of illustrating portions of the sole that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D659,363 S * 5/2012 Leary et al. D2/955

D659,961 S * 5/2012 Vestuti et al. D2/947

D659,962 S * 5/2012 Vazquez D2/950

D663,511 S * 7/2012 Martinez et al. D2/917

D663,931 S * 7/2012 Allen et al. D2/961

2005/0120589 A1 6/2005 Coomes

2009/0031587 A1 2/2009 Rusnak

2009/0249651 A1 10/2009 Smith, Jr.


2010/0126045 A1 5/2010 Rusnack

2011/0061268 A1 * 3/2011 Park et al. 36/25 R

2014/0230283 A1 * 8/2014 Cordova 36/103

2014/0230284 A1 * 8/2014 Craig et al. 36/103

* cited by examiner






FIG.2




FIG.3




FIG.4