



US00D728916S

(12) **United States Design Patent**
Vasyli

(10) **Patent No.:** **US D728,916 S**

(45) **Date of Patent:** **** May 12, 2015**

- (54) **INSOLE BOTTOM**
- (71) Applicant: **Phillip J. Vasyli**, Nassau (BS)
- (72) Inventor: **Phillip J. Vasyli**, Nassau (BS)
- (73) Assignee: **VCG Holdings Ltd.**, Nassau (BS)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/469,457**
- (22) Filed: **Oct. 10, 2013**
- (51) **LOC (10) Cl.** **02-04**
- (52) **U.S. Cl.**
USPC **D2/961**
- (58) **Field of Classification Search**
USPC D2/946, 961; 36/31, 43, 44, 71, 145,
36/147, 148, 149, 150, 151, 152, 153, 154,
36/155, 166, 169, 173, 174, 180
See application file for complete search history.

| | | | |
|-----------------|---------|------------------|--------|
| D487,185 S | 3/2004 | Grisoni et al. | |
| D497,470 S | 10/2004 | Crewdson et al. | |
| D509,951 S | 9/2005 | Johnson | |
| D515,293 S | 2/2006 | Maguire | |
| D517,291 S | 3/2006 | Vasyli | |
| D518,945 S | 4/2006 | Vasyli | |
| 7,107,705 B2 | 9/2006 | Dalton et al. | |
| 7,124,520 B2 | 10/2006 | Galbraith et al. | |
| D532,586 S | 11/2006 | Birkenstock | |
| D543,680 S | 6/2007 | Dean et al. | |
| D551,437 S | 9/2007 | Hung | |
| D552,838 S | 10/2007 | Quinn | |
| D555,341 S | 11/2007 | Vasyli et al. | |
| D578,285 S * | 10/2008 | Vasyli et al. | D2/961 |
| D588,348 S * | 3/2009 | Elliott et al. | D2/961 |
| D594,640 S * | 6/2009 | McMillan | D2/961 |
| D634,924 S * | 3/2011 | Cheskin et al. | D2/961 |
| 2005/0262736 A1 | 12/2005 | Peoples | |

* cited by examiner

Primary Examiner — Derrick Holland

Assistant Examiner — Janice Lim

(74) *Attorney, Agent, or Firm* — Nina Habib Borders; Reed Smith LLP

(56) **References Cited**
U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|----------------|--------|
| 1,387,691 A * | 8/1921 | Davenport | 36/44 |
| D255,060 S | 5/1980 | Okazawa | |
| D287,302 S | 12/1986 | Peterson | |
| D287,902 S | 1/1987 | Forsyth | |
| D290,423 S | 6/1987 | Peterson | |
| D295,690 S | 5/1988 | Finn | |
| D296,493 S | 7/1988 | Diaz | |
| D300,687 S | 4/1989 | Kelley | |
| D302,764 S | 8/1989 | Peoples et al. | |
| D350,432 S | 9/1994 | Saez | |
| D366,140 S | 1/1996 | Finn | |
| D366,956 S | 2/1996 | Gay | |
| D396,948 S | 8/1998 | Moore et al. | |
| D403,847 S * | 1/1999 | Blythe | D2/961 |
| D411,759 S | 7/1999 | Byrd | |
| 6,076,283 A | 6/2000 | Boie | |
| D456,128 S * | 4/2002 | Evans et al. | D2/961 |
| D456,983 S | 5/2002 | Stubbs et al. | |
| D458,739 S | 6/2002 | Merceron | |
| D474,589 S | 5/2003 | Dykes | |
| D474,881 S | 5/2003 | Su | |

(57) **CLAIM**

The ornamental design of an insole bottom, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an insole bottom, showing my new design;
 FIG. 2 is a bottom perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a rear elevational view thereof;
 FIG. 5 is a left side elevational view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a bottom plan view thereof.
 The broken lines showing the remainder of the footwear insole show unclaimed subject matter only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8