

US00D728921S

(12) United States Design Patent

Jones

(10) Patent No.:(45) Date of Patent:

US D728,921 S ** May 12, 2015

(34) WEARADLE MEDICAL SUITLI FOUC	(54)) WEARABLE MEDICAL S	SUPPLY POUCH
-----------------------------------	------	----------------------	--------------

(71) Applicant: Shirley M. Jones, Conyers, GA (US)

72) Inventor: Shirley M. Jones, Conyers, GA (US)

(**) Term: 14 Years

(21) Appl. No.: **29/494,931**

(22) Filed: Jun. 25, 2014

(52) **U.S. Cl.**

3,361,312 A

(58) Field of Classification Search

USPC D3/203.1–205, 221, 226, 228, 230; 224/223, 245, 251, 664, 901.2;

D2/860-864

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

2,804,969 A 9/1957 Barnett

(Continued)

1/1968 Hutchison

OTHER PUBLICATIONS

http://www.impactednurse.com/?p=5127 (Nov. 9, 2012).

(Continued)

Primary Examiner — Catheri Oliver-Garcia

(74) Attorney, Agent, or Firm — Robert C. Montgomery;

Montgomery Patent & Design LP

(57) CLAIM

The ornamental design for a wearable medical supply pouch, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wearable medical supply pouch showing a caddy portion and a strap portion, wherein the broken lines represent clasps as part of the environment and form no part of the claimed design;

FIG. 2 is another perspective view of FIG. 1, wherein the broken lines represent clasps as part of the environment and interior portions of the pocket as part of the bounds and form no part of the claimed design;

FIG. 3 is perspective view of the caddy portion;

FIG. 4 is a another perspective view of the caddy portion, wherein the broken lines represent interior portions of the pocket as part of the bounds and form no part of the claimed design;

FIG. 5 another perspective view of the caddy portion, wherein the broken lines represent fasteners as part of the environment and form no part of the claimed design;

FIG. 6 is another perspective view of the caddy portion, wherein the broken lines represent interior portions of the pocket as part of the bounds and fasteners as part of the environment and form no part of the claimed design;

FIG. 7 is front view of the caddy portion;

FIG. 8 is a rear view of the caddy portion, wherein the broken lines represent interior portions of the pocket as part of the bounds and fasteners as part of the environment and form no part of the claimed design;

FIG. 9 is a left-hand side view of the caddy portion, wherein the broken lines represent fasteners as part of the environment and form no part of the claimed design;

FIG. 10 is a right-hand side view of the caddy portion, wherein the broken lines represent fasteners as part of the environment and form no part of the claimed design;

FIG. 11 is a top view of the caddy portion, wherein the broken lines represent fasteners as part of the environment and form no part of the claimed design;

FIG. 12 is a bottom view of the caddy portion, wherein the broken lines represent a pocket fastener as part of the environment and forms no part of the claimed design;

FIG. 13 is a perspective view of the strap portion, wherein the broken lines represent clasps as part of the environment and form no part of the claimed design;

FIG. 14 is another perspective view of the strap portion, wherein the broken lines represent clasps as part of the environment and form no part of the claimed design;

FIG. 15 is a front view of the strap portion;

FIG. 16 is a rear view of the trap portion;


FIG. 17 is a left-hand side view of the strap portion, wherein a right-hand side view is a mirror image of the right-hand side view;

FIG. 18 is a top view of the strap portion; and,

FIG. 19 is a bottom view of the trap portion.

Figures having broken lines represent the bounds and environment of the article and form no part of the claimed design. The belt is not shown completely in FIGS. 7-8 and 12 for convenience of illustration.

1 Claim, 17 Drawing Sheets



US D728,921 S

Page 2

(56) References Cited


erences Cited OTHER PUBLICATIONS


U.S. PATENT DOCUMENTS


3,389,784	\mathbf{A}	6/1968	Hendricks et al.
4,796,790	\mathbf{A}	1/1989	Hamilton
5,022,521	\mathbf{A}	6/1991	Kane
5,024,361	\mathbf{A}	6/1991	Flowers
D345,861	S *	4/1994	Knox et al D3/203.7
D354,850	S *	1/1995	Denson
6,508,391	B2 *	1/2003	Gilbert 224/664
D564,217	S *	3/2008	Knox et al D3/203.1
D598,191	S *	8/2009	Tang et al D3/203.1


http://www.mubags.com.au/mub_Story.asp (Nov. 26, 2012).
http://www.nursestuff.com.au/nurses-joey-pouch-1 (Sep. 11, 2012).
http://www.amazon.com/s/?ie=UTF8&keywords=nurses+pouch&tag=googhydr-20&index=aps&hvadid=30902530101&hvpos=1t1&hvexid=&hvnetw=g&hvrand=9466091241049329584&hvpone=&hyptwo=&hvqmt=e&hvdev=c&ref=pd_sl_90cir96kty_e (Nov. 8, 2013).


^{*} cited by examiner

















May 12, 2015













May 12, 2015











O





May 12, 2015

