



US00D729382S

(12) **United States Design Patent**  
**Kunze**

(10) **Patent No.:** **US D729,382 S**

(45) **Date of Patent:** **\*\* May 12, 2015**

(54) **TRIGGER FOR A MEDICAL INJECTOR**

(71) Applicant: **SHL Group AB**, Nacka Strand (SE)

(72) Inventor: **Katja Kunze**, Stockholm (SE)

(73) Assignee: **SHL Group AB**, Nacka Strand (SE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/468,365**

(22) Filed: **Sep. 30, 2013**

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/113**

(58) **Field of Classification Search**

USPC ..... D24/112–114, 133, 186, 127–131;  
606/181, 185; 604/264, 272, 115, 232,  
604/187, 158, 164.08, 192, 263, 163, 181,  
604/184, 198, 227; 600/101, 139, 143;  
128/200.24, 207.14, 207.15; D14/248,  
D14/388, 415, 455, 456; D19/115–123,  
D19/177, 193

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D383,020 S \* 9/1997 Craig ..... D6/491  
D463,788 S \* 10/2002 Smith et al. .... D14/218  
D481,120 S \* 10/2003 Hawley et al. .... D24/114  
D530,149 S \* 10/2006 Mashburn ..... D7/395  
D546,989 S \* 7/2007 Chun ..... D26/37  
D584,771 S \* 1/2009 Gerules et al. .... D19/41  
D667,948 S \* 9/2012 Moldenhauer ..... D24/113  
D681,807 S \* 5/2013 Niedbala et al. .... D24/113  
8,652,100 B1 \* 2/2014 Cowe ..... 604/131

2009/0268382 A1 \* 10/2009 Zhao et al. .... 361/679.01  
2012/0298493 A1 \* 11/2012 Hogan et al. .... 200/314  
2013/0123710 A1 \* 5/2013 Ekman et al. .... 604/198  
2013/0237921 A1 \* 9/2013 Lannan et al. .... 604/198

\* cited by examiner

*Primary Examiner* — David Muller

*Assistant Examiner* — Nathan Johnston

(74) *Attorney, Agent, or Firm* — McDonnell Boehnen  
Hulbert & Berghoff LLP

(57) **CLAIM**

The ornamental design for a trigger for a medical injector, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the trigger viewed from the front and left of and above the medical injector trigger and with the trigger in the raised cocked position;

FIG. 2 is a left side view of the trigger with the trigger in the raised cocked position;

FIG. 3 is a left side view of the trigger with the trigger in the lowered fired position;

FIG. 4 is top plan view of the trigger with the trigger in the lowered fired position;

FIG. 5 is a rear elevation view of the trigger with the trigger in the raised cocked position; and,


FIG. 6 is a rear elevation view of the trigger with the trigger in the lowered fired position.

The broken line showing is for the purpose of illustrating portions of the article and forms no part of the claimed design.

The broken line which defines the bounds of the claimed invention forms no part of the claimed design.

The right side view is the same as the left side view and the bottom view is not shown because the trigger is not visible.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6