



US00D729382S

(12) **United States Design Patent**
Kunze

(10) **Patent No.:** **US D729,382 S**

(45) **Date of Patent:** **** May 12, 2015**

(54) **TRIGGER FOR A MEDICAL INJECTOR**

(71) Applicant: **SHL Group AB**, Nacka Strand (SE)

(72) Inventor: **Katja Kunze**, Stockholm (SE)

(73) Assignee: **SHL Group AB**, Nacka Strand (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/468,365**

(22) Filed: **Sep. 30, 2013**

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/113**

(58) **Field of Classification Search**

USPC D24/112–114, 133, 186, 127–131;
606/181, 185; 604/264, 272, 115, 232,
604/187, 158, 164.08, 192, 263, 163, 181,
604/184, 198, 227; 600/101, 139, 143;
128/200.24, 207.14, 207.15; D14/248,
D14/388, 415, 455, 456; D19/115–123,
D19/177, 193

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D383,020 S * 9/1997 Craig D6/491
D463,788 S * 10/2002 Smith et al. D14/218
D481,120 S * 10/2003 Hawley et al. D24/114
D530,149 S * 10/2006 Mashburn D7/395
D546,989 S * 7/2007 Chun D26/37
D584,771 S * 1/2009 Gerules et al. D19/41
D667,948 S * 9/2012 Moldenhauer D24/113
D681,807 S * 5/2013 Niedbala et al. D24/113
8,652,100 B1 * 2/2014 Cowe 604/131

2009/0268382 A1 * 10/2009 Zhao et al. 361/679.01
2012/0298493 A1 * 11/2012 Hogan et al. 200/314
2013/0123710 A1 * 5/2013 Ekman et al. 604/198
2013/0237921 A1 * 9/2013 Lannan et al. 604/198

* cited by examiner

Primary Examiner — David Muller

Assistant Examiner — Nathan Johnston

(74) *Attorney, Agent, or Firm* — McDonnell Boehnen
Hulbert & Berghoff LLP

(57) **CLAIM**

The ornamental design for a trigger for a medical injector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the trigger viewed from the front and left of and above the medical injector trigger and with the trigger in the raised cocked position;

FIG. 2 is a left side view of the trigger with the trigger in the raised cocked position;

FIG. 3 is a left side view of the trigger with the trigger in the lowered fired position;

FIG. 4 is top plan view of the trigger with the trigger in the lowered fired position;

FIG. 5 is a rear elevation view of the trigger with the trigger in the raised cocked position; and,


FIG. 6 is a rear elevation view of the trigger with the trigger in the lowered fired position.

The broken line showing is for the purpose of illustrating portions of the article and forms no part of the claimed design.

The broken line which defines the bounds of the claimed invention forms no part of the claimed design.

The right side view is the same as the left side view and the bottom view is not shown because the trigger is not visible.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6