



US00D729408S

(12) **United States Design Patent**
Ayton

(10) **Patent No.:** **US D729,408 S**

(45) **Date of Patent:** **** May 12, 2015**

(54) **INTERCHANGEABLE RECONFIGURABLE PROTECTIVE PADDED PANEL**

(71) Applicant: **Andrew Ayton**, Fircrest, WA (US)

(72) Inventor: **Andrew Ayton**, Fircrest, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/456,265**

(22) Filed: **May 29, 2013**

(51) **LOC (10) Cl.** **25-02**

(52) **U.S. Cl.**
USPC **D25/37**

(58) **Field of Classification Search**
USPC D25/37, 48, 53, 199; 49/460, 461, 462, 49/507
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|--------------|-----------|
| 3,383,820 | A * | 5/1968 | Kates | 52/794.1 |
| 3,631,942 | A * | 1/1972 | Broun | 187/401 |
| 4,014,583 | A * | 3/1977 | Forbes | 293/128 |
| 4,178,926 | A * | 12/1979 | Cohn | 5/513 |
| 4,372,364 | A * | 2/1983 | Katz | 150/154 |
| 4,724,638 | A * | 2/1988 | Bezborodko | 52/506.05 |
| 4,843,788 | A * | 7/1989 | Gavin et al. | 52/205 |
| 5,072,979 | A * | 12/1991 | Swinton | 293/128 |
| 5,103,593 | A * | 4/1992 | McNaughton | 49/460 |
| 6,029,409 | A * | 2/2000 | Wilson | 52/202 |

| | | | | |
|-----------|------|---------|-----------------|----------|
| 6,128,862 | A * | 10/2000 | Katz | 52/2.11 |
| 6,216,396 | B1 * | 4/2001 | Katz | 52/2.11 |
| 6,308,474 | B1 * | 10/2001 | Wilson | 52/202 |
| 6,381,910 | B1 * | 5/2002 | Katz | 52/211 |
| 6,718,706 | B2 * | 4/2004 | Katz | 52/211 |
| 6,805,185 | B2 * | 10/2004 | Gravel et al. | 160/135 |
| D582,052 | S * | 12/2008 | Borland | D25/48.8 |
| 7,854,096 | B2 * | 12/2010 | Brisbois et al. | 52/202 |
| 8,091,299 | B2 * | 1/2012 | Katz | 52/211 |

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a interchangeable reconfigurable protective padded panel, as shown and described.

DESCRIPTION

FIG. 1 is an exploded perspective view of an interchangeable reconfigurable protective padded panel, showing my new design;

FIG. 2 is an assembled front perspective view thereof;

FIG. 3 is a front elevational view of FIG. 2;

FIG. 4 is a top plan view thereof in an alternate configuration;

FIG. 5 is a bottom plan view of FIG. 4;


FIG. 6 is a right-side elevational view of FIG. 4; the left-side elevational view being a mirror image thereof;

FIG. 7 is a front elevational view of FIG. 4; and,

FIG. 8 is a rear elevational view of FIG. 4.

The interchangeable reconfigurable protective padded panel is shown in alternate configurations for ease of illustration.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 4




FIG. 5




FIG. 3




FIG. 6




FIG. 7




FIG. 8