



US00D729806S

(12) **United States Design Patent**  
**Park et al.**

(10) **Patent No.:** **US D729,806 S**

(45) **Date of Patent:** **\*\* May 19, 2015**

(54) **REVERSIBLE CONNECTOR**

(71) Applicant: **Fitbit, Inc.**, San Francisco, CA (US)

(72) Inventors: **James Park**, Berkeley, CA (US); **Mark Manuel Martinez**, San Francisco, CA (US); **Michael Joseph Francisco**, Fremont, CA (US); **Gadi Amit**, San Mateo, CA (US); **Jacqueline Lee Belleau**, Alameda, CA (US); **Daniel J. Clifton**, San Francisco, CA (US); **Susan Elizabeth McKinney**, San Francisco, CA (US)

(73) Assignee: **Fitbit, Inc.**, San Francisco, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/468,520**

(22) Filed: **Oct. 1, 2013**

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/433**

(58) **Field of Classification Search**

CPC ..... H01R 9/09; H01R 9/097; H01R 9/098; H01R 9/11; H01R 25/00; G06F 1/00  
USPC ..... D14/356, 432-434, 453, 454, 511, D14/203.8, 209.1, 238.1, 240, 125; 439/638, 928, 105, 502; 710/303, 304; 361/679.41, 679.55, 679.56; D13/110, D13/133, 146

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D599,800 S \* 9/2009 Klein et al. .... D14/433  
D635,574 S \* 4/2011 Morisawa ..... D14/433  
D680,539 S \* 4/2013 Kim ..... D14/433

D682,835 S \* 5/2013 Daniel ..... D14/433  
D684,976 S \* 6/2013 Akana et al. .... D14/433  
D694,243 S \* 11/2013 Akana et al. .... D14/433  
D707,680 S \* 6/2014 Akana et al. .... D14/433  
D707,681 S \* 6/2014 Akana et al. .... D14/433  
D711,383 S \* 8/2014 Lam et al. .... D14/433

\* cited by examiner

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Weaver Austin Villeneuve & Sampson

(57) **CLAIM**

We claim the ornamental design for a reversible connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a USB charging cord with a reversible connector.

FIG. 2 is a left side view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a back view thereof;

FIG. 6 is a front view thereof;

FIG. 7 is a perspective view thereof; and,


FIG. 8 is an enlarged perspective view of FIG. 7.

Dashed and dotted lines are used for illustrative purposes only to give environmental context to the claimed design and do not form any part of the claimed design.

Stipple shading is used in FIGS. 3A through 3H; the stipple shading is not to be understood as conveying a particular surface finish. The depicted article may be made using materials of various colors, including black, charcoal, white, dark blue, red, green, and other colors.

The USB charging cord has a male connector that plugs into a mating receptacle/socket (not shown). The male connector and the receptacle/socket are both reversible.

**1 Claim, 2 Drawing Sheets**






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

Figure 6






Figure 7




Figure 8