

US00D730002S

(12) **United States Design Patent**
Dietvorst et al.

(10) **Patent No.:** **US D730,002 S**
(45) **Date of Patent:** **** May 19, 2015**

(54) **DEVICE FOR DELIVERING A WASHING AGENT**

(71) Applicant: **Reckitt Benckiser (Brands) Limited**,
Berkshire (GB)

(72) Inventors: **Taco Dietvorst**, Eindhoven (NL);
Rainer Link, Ludwigshafen (DE)

(73) Assignee: **RECKITT BENCKISER (BRANDS) LIMITED**, Slough, Berkshire (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/487,601**

(22) Filed: **Apr. 10, 2014**

(30) **Foreign Application Priority Data**

Oct. 30, 2013 (EM) 002335901-0007

(51) **LOC (10) Cl.** **15-05**

(52) **U.S. Cl.**
USPC **D32/29.1**

(58) **Field of Classification Search**
USPC D32/3, 25, 29.1, 30, 1, 2, 55; 222/556,
222/651, 652; D23/260, 261; 15/347, 353;
D6/542-544, 580; D7/667, 668, 698,
D7/354; D30/162

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D318,226 S * 7/1991 Camus D32/29.1
D319,389 S * 8/1991 Halm D32/29.1
D320,343 S * 10/1991 Halm et al. D32/29.1
D320,739 S * 10/1991 Camus D32/29.1
D321,476 S * 11/1991 Alcover D32/29.1
D322,558 S * 12/1991 Halm et al. D32/29.1
D322,754 S * 12/1991 Halm et al. D32/29.1
D325,774 S * 4/1992 Manville et al. D23/261
D327,534 S * 6/1992 Manville et al. D23/261

D344,820 S * 3/1994 Cornette et al. D32/29.1
D345,636 S * 3/1994 Naporano D32/29.1
D346,890 S * 5/1994 Panesar D32/29.1
D361,267 S * 8/1995 Harley et al. D32/29.1
D383,264 S * 9/1997 Balz D32/29.1
D384,450 S * 9/1997 Leu D32/29.1
D384,451 S * 9/1997 Leu D32/29.1
D387,520 S * 12/1997 Leu D32/29.1
D406,679 S * 3/1999 DePalma D32/29.1
D498,566 S * 11/2004 Schick et al. D32/3
D587,413 S * 2/2009 Van der Molen D32/29.1
D604,466 S * 11/2009 Gaa et al. D32/29.1
D630,811 S * 1/2011 Chae D32/29.1

(Continued)

Primary Examiner — T. Chase Nelson

Assistant Examiner — Michelle E Wilson

(74) *Attorney, Agent, or Firm* — Troutman Sanders LLP;
Ryan A. Schneider; Troy S. Kleckley

(57) **CLAIM**

The ornamental design for a device for delivering a washing agent, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a device for delivering a washing agent of the present invention;

FIG. 2 is a front view of the device for delivering a washing agent of FIG. 1;

FIG. 3 is a rear view of the device for delivering a washing agent of FIG. 1;

FIG. 4 is a side view of the device for delivering a washing agent of FIG. 1;


FIG. 5 is the other side view of the device for delivering a washing agent of FIG. 1;

FIG. 6 is a top view of the device for delivering a washing agent of FIG. 1; and,

FIG. 7 is a bottom view of the device for delivering a washing agent of FIG. 1.

The broken lines are included for the purpose of illustrating a portion of the device for delivering a washing agent that forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D638,593 S * 5/2011 Cheng D32/29.1

D643,167 S * 8/2011 Cheng D32/29.1

D658,343 S * 4/2012 Jeon et al. D32/29.1

8,205,351 B2 * 6/2012 Howe et al. 34/60

D683,166 S * 5/2013 Robbins et al. D6/580

D692,254 S * 10/2013 Robbins et al. D6/580

D692,255 S * 10/2013 Robbins et al. D6/580

D693,601 S * 11/2013 Robbins et al. D6/580

D701,708 S * 4/2014 Vagliardo D6/580

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7