



US00D730451S

(12) **United States Design Patent**
Burgess et al.

(10) **Patent No.:** **US D730,451 S**

(45) **Date of Patent:** **** May 26, 2015**

- (54) **CONTROLLER HANDLE INSERT**
- (71) Applicant: **Ironburg Inventions Ltd**, Wincanton, Somerset (GB)
- (72) Inventors: **Simon Burgess**, Leicester (GB);
Duncan Ironmonger, Atlanta, GA (US)
- (73) Assignee: **Ironburg Inventions LTD.** (GB)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/480,182**
- (22) Filed: **Jan. 23, 2014**
- (51) **LOC (10) Cl.** **21-01**
- (52) **U.S. Cl.**
USPC **D21/333; D14/401**
- (58) **Field of Classification Search**
CPC A63F 13/02; A63F 9/24; A63F 13/12;
A63F 9/00; A63F 11/00; A63F 71/00; G06F
3/02; G06F 3/033; G09G 5/00
USPC D14/399-401, 412-418; D21/148 B;
463/1, 29-39, 46, 47; 345/156-161,
345/905
See application file for complete search history.

D717,875 S * 11/2014 Uhrman et al. D21/333
 2005/0275165 A1 * 12/2005 Hussaini et al. 273/148 B
 2006/0116204 A1 * 6/2006 Chen et al. 463/37
 2006/0122173 A1 * 6/2006 Busch-Petersen et al. 514/223.2

* cited by examiner

Primary Examiner — Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm* — Parks Wood LLC

(57) **CLAIM**
The ornamental design for a controller handle insert, as shown and described.

DESCRIPTION

FIG. 1 is a bottom view of a controller including a left handle insert and a right handle insert showing the new design; FIG. 2 is a front view, thereof; FIG. 3 is a back view, thereof; FIG. 4 is a first side view, thereof, it being understood that a second side view is a mirror image of the first side view; FIG. 5 is a first side view of the right handle insert of FIG. 1; FIG. 6 is a second side view, thereof; FIG. 7 is a bottom view, thereof; FIG. 8 is a top view, thereof; and, FIG. 9 is a front view thereof; it being understood that the left handle insert of FIG. 1 is a mirror image of the right handle insert of FIGS. 5-9.

In FIGS. 1-4, the broken lines showing the controller is for the purpose of illustrating part of the body of the controller and forms no part of the claimed design. In FIGS. 6 and 7, the broken lines showing structure on the inside surface of the handle insert is for the purpose of illustrating exemplary structure that facilitates connection of the body of the handle insert to the body of the controller and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
6,512,511 B2 * 1/2003 Willner et al. 345/169
6,743,100 B1 * 6/2004 Neiser 463/37
6,923,443 B1 * 8/2005 Hughes, IV 273/148 B
D534,962 S * 1/2007 Svendsen et al. D21/333
7,235,012 B2 * 6/2007 DiDato 463/38
D570,854 S * 6/2008 Harris D14/454
7,804,484 B2 * 9/2010 Martinez et al. 345/156
D640,697 S * 6/2011 Lovoi et al. D14/401





Fig. 1







FIG. 2






FIG. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9