



US00D730547S

(12) **United States Design Patent**
Venier

(10) **Patent No.:** **US D730,547 S**

(45) **Date of Patent:** **** May 26, 2015**

(54) **LUMINOUS UNIT**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **DOMUS LINE S.r.l.**, Porcia (IT)

D514,530 S *	2/2006	Matsui et al.	D13/180
D526,972 S *	8/2006	Egawa et al.	D13/180
D529,203 S *	9/2006	Nagai	D26/1
D535,037 S *	1/2007	Kim et al.	D26/1
D535,262 S *	1/2007	Saito et al.	D13/180

(72) Inventor: **Denis Venier**, Pordenone (IT)

* cited by examiner

(73) Assignee: **DOMUS LINE S.R.L.**, Porcia (IT)

Primary Examiner — Marcus Jackson

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Oliff PLC

(21) Appl. No.: **29/460,766**

(57) **CLAIM**

The ornamental design for luminous unit, as shown and described.

(22) Filed: **Jul. 15, 2013**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jan. 15, 2013 (EM) 002167130


(51) **LOC (10) Cl.** **26-04**

(52) **U.S. Cl.**
USPC **D26/1**

(58) **Field of Classification Search**
USPC D26/1-4; 313/313, 315, 316, 317, 318;
315/52, 53, 56, 57, 58; D13/180
See application file for complete search history.

FIG. 1 is a perspective view of the luminous unit in accordance with an embodiment of the present invention; FIG. 2 is a front view of the luminous unit thereof, the front view and the rear view being mirror images of each other; FIG. 3 is a bottom view of the luminous unit thereof; FIG. 4 is a right-side view of the luminous unit thereof; FIG. 5 is a left-side view of the luminous unit thereof; and, FIG. 6 is a top view of the luminous unit thereof. The broken lines depict environmental subject matter only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6