



US00D730739S

(12) **United States Design Patent**
Ginzburg et al.

(10) **Patent No.:** **US D730,739 S**
(45) **Date of Patent:** **** Jun. 2, 2015**

(54) **CONTAINER**

(71) Applicant: **Societe des Produits Nestle S.A., Vevey (CH)**

(72) Inventors: **Jean-Daniel Ginzburg, Feigeres (FR); Andrea Rigardo, Cavatore (IT)**

(73) Assignee: **Societe des Produits Nestle S.A., Vevey (CH)**

(**) Term: **14 Years**

(21) Appl. No.: **29/448,455**

(22) Filed: **Mar. 12, 2013**

(30) **Foreign Application Priority Data**

Sep. 14, 2012 (CH) 139181

(51) **LOC (10) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/574**

(58) **Field of Classification Search**

USPC D3/202, 203.2, 901; D4/116; D7/313,
D7/509-511, 590-560, 601-612; D9/453,
D9/454, 449, 450, 520, 530, 559, 560, 563,
D9/569, 571, 574; D19/93;
D23/211.1-211.2, 366; D24/121, 124,
D24/197, 224

CPC A61J 1/03; A61J 1/05; B65D 1/02;
B65D 1/0223; B65D 1/08; B65D 1/10;
A47G 19/22; A47G 19/2205; A47G 19/2266

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D103,287 S * 2/1937 Reynolds D9/522
D135,803 S * 6/1943 Loewy D9/571
D258,568 S * 3/1981 Grip D9/571
D264,183 S * 5/1982 Schultz D9/560
D322,029 S * 12/1991 Caputo D9/558

D326,611 S * 6/1992 Dinand D9/529
D339,746 S * 9/1993 Bunce et al. D9/522
D345,920 S * 4/1994 Gobe D9/571
D372,090 S * 7/1996 MacCauley et al. D24/121
D374,481 S * 10/1996 McCallister et al. D24/121
D412,667 S * 8/1999 Nosella D9/548
D537,351 S * 2/2007 Caserta et al. D9/522
D551,084 S * 9/2007 Kottbauer D9/563
D604,385 S * 11/2009 Fontaine D23/202
D621,495 S * 8/2010 Li D23/366
D621,712 S * 8/2010 Vilarrasa et al. D9/522
D646,981 S * 10/2011 Flanagan-Kent et al. D9/575
D650,682 S * 12/2011 Buschmann et al. D9/522

(Continued)

Primary Examiner — Cathron Brooks

Assistant Examiner — Catherine Posthauer

(74) *Attorney, Agent, or Firm* — K&L Gates LLP

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 illustrates a top perspective view of the container with the cap removed for completeness of illustration.

FIG. 2 illustrates a front side elevational view thereof;

FIG. 3 illustrates a back side elevational view thereof;

FIG. 4 illustrates a right side elevational view thereof;

FIG. 5 illustrates a left side elevational view thereof;

FIG. 6 illustrates a top plan view thereof;

FIG. 7 illustrates a bottom plan view thereof;

FIG. 8 illustrates a top perspective view of the embodiment of FIG. 1 with a cap attached;

FIG. 9 illustrates a front side elevational view thereof;

FIG. 10 illustrates a back side elevational view thereof;

FIG. 11 illustrates a right side elevational view thereof;



FIG. 12 illustrates a left side elevational view thereof;

FIG. 13 illustrates a top plan view thereof; and,

FIG. 14 illustrates a bottom plan view thereof.

The broken lines are shown to indicate portions of the container and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D650,683 S * 12/2011 Buschmann et al. D9/522
D679,193 S * 4/2013 Scott et al. D9/542
D695,511 S * 12/2013 Sharpe et al. D3/203.2

D715,147 S * 10/2014 Ginzburg et al. D9/449
D717,661 S * 11/2014 McIntire et al. D9/560
D723,376 S * 3/2015 Adair et al. D9/539
2013/0097973 A1 * 4/2013 McCoy et al. 53/467

* cited by examiner

FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

