



US00D731100S

(12) **United States Design Patent**
Tani

(10) **Patent No.:** **US D731,100 S**
(45) **Date of Patent:** **** Jun. 2, 2015**

(54) **HEADLAMP FOR AN AUTOMOBILE**

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama,
Kanagawa (JP)

(72) Inventor: **Yasuhiro Tani**, Kanagawa (JP)

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/476,804**

(22) Filed: **Dec. 17, 2013**

(30) **Foreign Application Priority Data**

Jun. 19, 2013 (JP) 2013-013820

(51) **LOC (10) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28–36; 362/459–468, 475–478,
362/485–487
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D477,429 S *	7/2003	Lin		D26/28
D481,477 S *	10/2003	Horowitz et al.		D26/28
D483,890 S *	12/2003	Lin		D26/28
D490,170 S *	5/2004	Metros et al.		D26/28
D491,299 S *	6/2004	Simmons et al.		D26/28
D506,842 S *	6/2005	Nagura et al.		D26/28
D524,466 S *	7/2006	Essig		D26/28

(Continued)

FOREIGN PATENT DOCUMENTS

EM	001677709-0001	3/2010
EM	001736331-0001	7/2010

(Continued)

Primary Examiner — Marcus Jackson

(57) **CLAIM**
The ornamental design for a headlamp for an automobile, as shown and described.

DESCRIPTION

FIG. 1 is an outside elevational view of a headlamp for an automobile in accordance with a first embodiment of our new design;

FIG. 2 is an inside elevational view of the headlamp in accordance with the first embodiment of our new design of FIG. 1; FIG. 3 is a top plan view of the headlamp in accordance with the first embodiment of our new design of FIGS. 1 and 2;

FIG. 4 is a bottom plan view of the headlamp in accordance with the first embodiment of our new design of FIGS. 1 to 3; FIG. 5 is a front side elevational view of the headlamp in accordance with the first embodiment of our new design of FIGS. 1 to 4;


FIG. 6 is a rear side elevational view of the headlamp in accordance with the first embodiment of our new design of FIGS. 1 to 5; and,

FIG. 7 is a front side perspective view of the headlamp in accordance with the first embodiment of our new design of FIGS. 1 to 6.

A second embodiment of our new design is identical to the first embodiment except that the inside elevational view of FIG. 2, the bottom plan view of FIG. 4 and the rear side elevational view of FIG. 6 form no part of the claimed design. In addition, in the second embodiment, the appearance of the rear side structures and inside side structures of the headlamp as seen in FIGS. 1, 3, 5 and 7 is for purpose of illustrating the boundaries of the exterior surface of the outside of the headlamp, and forms no part of the claimed design.

Our new design includes the mirror image of the headlamp shown in FIGS. 1 to 7.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D529,208	S	*	9/2006	Ikeda		D26/28
D538,452	S	*	3/2007	Pfeiffer		D26/28
D538,954	S	*	3/2007	Pfeiffer		D26/28
D539,450	S	*	3/2007	Pfeiffer		D26/28
D539,453	S		3/2007	Noguchi		
D542,442	S	*	5/2007	Matsunami		D26/28
D552,768	S	*	10/2007	Leclercq		D26/28
D570,007	S	*	5/2008	Hsu		D26/28
D675,354	S		1/2013	Sakai et al.		

D679,039	S	3/2013	Iwai et al.
D683,057	S	5/2013	Aikawa et al.
D709,631	S	7/2014	Sato

FOREIGN PATENT DOCUMENTS

JP	D1348560	S	1/2009
JP	D1380446	S	2/2010
JP	D1389696	S	6/2010
JP	D1419135	S	7/2011
JP	D1483831	S	11/2013
JP	D1486326	S	12/2013

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7