



US00D731103S

(12) **United States Design Patent**  
**Wilke et al.**

(10) **Patent No.:** **US D731,103 S**  
(45) **Date of Patent:** **\*\* Jun. 2, 2015**

(54) **COMBINED LED LIGHT FIXTURE AND SET OF GLARE SHIELDS**

(56) **References Cited**

U.S. PATENT DOCUMENTS

(71) Applicant: **Albeo Technologies, Inc.**, Boulder, CO (US)

D123,761	S	*	12/1940	Pieper	.....	D26/75
D387,333	S	*	12/1997	Pellow et al.	.....	D13/162
D476,753	S	*	7/2003	Chelf et al.	.....	D26/3
D480,172	S	*	9/2003	Herst et al.	.....	D26/121
D521,172	S	*	5/2006	Chen	.....	D26/76
7,813,131	B2	*	10/2010	Liang	.....	174/521
D629,958	S	*	12/2010	Kong et al.	.....	D26/118
D641,908	S	*	7/2011	McKee	.....	D26/71
7,972,035	B2	*	7/2011	Boyer	.....	362/289
D643,960	S	*	8/2011	Waldmann	.....	D26/74
D663,885	S	*	7/2012	Maxik et al.	.....	D26/118
D671,254	S	*	11/2012	Miyatake et al.	.....	D26/75
D695,950	S	*	12/2013	Gordin et al.	.....	D26/118
D699,886	S	*	2/2014	Wilke et al.	.....	D26/113
D714,486	S	*	9/2014	Wilke et al.	.....	D26/113
2006/0146531	A1	*	7/2006	Reo et al.	.....	362/249
2009/0196037	A1	*	8/2009	Xiao et al.	.....	362/249.03
2013/0021792	A1	*	1/2013	Snell et al.	.....	362/218

(72) Inventors: **Christopher Wilke**, Louisville, CO (US); **Jeffrey Bisberg**, Boulder, CO (US); **Neil Cannon**, Eldorado Springs, CO (US); **Peter Van Laanen**, Boulder, CO (US); **Paul Winker**, Broomfield, CO (US); **Andrew Wetzig**, Broomfield, CO (US)

(73) Assignee: **Albeo Technologies, Inc.**, Boulder, CO (US)

\* cited by examiner

(\*\*) Term: **14 Years**

*Primary Examiner* — Jeffrey D Asch

(21) Appl. No.: **29/449,296**

*Assistant Examiner* — Natasha Vujcic

(22) Filed: **Mar. 14, 2013**

(74) *Attorney, Agent, or Firm* — Lathrop & Gage LLP

(51) **LOC (10) Cl.** ..... **26-03**

(57) **CLAIM**

(52) **U.S. Cl.**  
USPC ..... **D26/72; D26/86**

The ornamental design for an combined LED light fixture and set of glare shields, as shown and described.

(58) **Field of Classification Search**  
USPC ..... D26/3, 24, 35, 39, 42, 71, 72, 75, 76, D26/78, 79, 80, 81, 82, 83, 85, 86, 88, 90, D26/113, 118, 119, 120, 121, 122, 138; 362/23.07, 23.09, 23.16, 217.01, 362/217.02, 217.05, 217.08, 217.09, 218, 362/249.02, 260, 311.02, 555, 612, 614, 362/800  
CPC ..... F21S 2/00; F21S 4/00; F21S 4/003; F21S 4/005; F21S 4/006; F21S 4/007; F21S 4/008; F21S 6/00; F21S 8/00; F21S 8/024; F21S 8/026; F21S 8/031; F21S 8/033; F21S 8/035-8/037; F21S 8/04; F21S 8/043; F21S 8/063

**DESCRIPTION**

FIG. 1 is a top perspective view of a combined LED light fixture and set of glare shields showing one component of the claimed combination shown in FIGS. 14-20;  
FIG. 2 is a bottom perspective view of the component of FIG. 1;  
FIG. 3 is a top plan view of the component of FIG. 1;  
FIG. 4 is a left side elevation of the component of FIG. 1;  
FIG. 5 is a right side elevation of the component of FIG. 1;  
FIG. 6 is a bottom plan view of the component of FIG. 1;  
FIG. 7 is an end elevation of the component of FIG. 1, an opposing end elevation thereof being identical;

See application file for complete search history.




FIG. 8 is a top perspective view of a single glare shield component of the claimed combination shown in FIGS. 14-20;

FIG. 9 is a bottom perspective view of the glare shield component of FIG. 8;

FIG. 10 is a top plan view of the glare shield component of FIG. 8;

FIG. 11 is a left side elevation of the glare shield component of FIG. 8;

FIG. 12 is a bottom plan view of the glare shield component of FIG. 8;

FIG. 13 is an end elevation of the glare shield component of FIG. 8, an opposing end elevation thereof being identical;

FIG. 14 is a top perspective view of a combined LED light fixture and set of glare shields, showing the new design;

FIG. 15 is a bottom perspective view of the claimed combination shown in FIG. 14;

FIG. 16 is a top plan view of the claimed combination shown in FIG. 14;

FIG. 17 is a left side elevation of the claimed combination shown in FIG. 14;

FIG. 18 is a right side elevation of the claimed combination shown in FIG. 14;

FIG. 19 is a bottom plan view of the claimed combination shown in FIG. 14; and,

FIG. 20 is an end elevation of the claimed combination shown in FIG. 14, an opposing end elevation thereof being identical.

Individual components of the combined LED light fixture and set of glare shields have been shown separately in FIGS. 1-7 and 8-13 for clarity of illustration.

The broken lines in the drawings that are immediately adjacent to the shaded areas and are uninterrupted by feature or shading lines define the boundaries of the claimed design. All other broken lines in the drawings illustrate portions of the combined LED light fixture and set of glare shields. The broken lines form no part of the claimed design.

**1 Claim, 16 Drawing Sheets**




FIG. 1




FIG. 2






FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG.7






FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG.14






FIG. 15






FIG. 16






FIG. 17




FIG. 18




FIG. 19




FIG.20