



US00D731382S

(12) **United States Design Patent**
Mana et al.

(10) **Patent No.:** **US D731,382 S**
(45) **Date of Patent:** **** Jun. 9, 2015**

(54) **ELEMENT OF A VEHICLE BUMPER SYSTEM**

(71) Applicants: **Dinesh Mana**, Bangalore (IN); **Taehoon Kim**, Seoul (KR)

(72) Inventors: **Dinesh Mana**, Bangalore (IN); **Taehoon Kim**, Seoul (KR)

(73) Assignee: **SABIC GLOBAL TECHNOLOGIES B.V.** (NL)

(**) Term: **14 Years**

(21) Appl. No.: **29/473,154**

(22) Filed: **Nov. 19, 2013**

Related U.S. Application Data

(62) Division of application No. 29/423,493, filed on Jun. 1, 2012, now Pat. No. Des. 696,169.

(51) **LOC (10) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/196**

(58) **Field of Classification Search**
USPC D12/86, 90-92, 163, 169, 171, 172,
D12/196, 216; 293/102, 109, 113, 115, 117,
293/120, 122, 132, 133, 142, 143;
296/180.1, 180.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,425,561	A *	6/1995	Morgan	293/120
5,988,713	A	11/1999	Okamura et al.		
6,609,740	B2	8/2003	Evans		
6,814,379	B2	11/2004	Evans		
6,874,832	B2 *	4/2005	Evans et al.	293/120
6,877,785	B2	4/2005	Evans et al.		
7,044,515	B2	5/2006	Mooijman et al.		
7,172,227	B2	2/2007	Weissenborn et al.		
7,399,014	B2	7/2008	Mellis et al.		

7,516,993	B2	4/2009	Bouchez et al.		
7,806,448	B2 *	10/2010	Allen et al.	293/120
7,866,716	B2 *	1/2011	Perucca et al.	293/133
7,959,197	B2	6/2011	Agrahari et al.		
8,215,686	B2 *	7/2012	Czopek et al.	293/133
D670,217	S *	11/2012	Bobba et al.	D12/196
D670,218	S *	11/2012	Bobba et al.	D12/196
8,348,313	B2 *	1/2013	Chickmenahalli et al.	...	293/120
2003/0020291	A1	1/2003	Roussel et al.		
2004/0174025	A1 *	9/2004	Converse et al.	293/133
2004/0262931	A1	12/2004	Roussel et al.		
2006/0001277	A1	1/2006	Mellis et al.		
2007/0200376	A1 *	8/2007	Jaarda et al.	293/120

(Continued)

Primary Examiner — Philip S Hyder

Assistant Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

We claim, the ornamental design for an element of a vehicle bumper system, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an element of a vehicle bumper system, showing an embodiment of our new design; FIG. 2 is a rear perspective view of the embodiment shown in FIG. 1;

FIG. 3 is a top plan view of the embodiment shown in FIG. 1; FIG. 4 is a bottom plan view of the embodiment shown in FIG. 1;

FIG. 5 is a front elevation view of the embodiment shown in FIG. 1;


FIG. 6 is a rear elevation view of the embodiment shown in FIG. 1;

FIG. 7 is a right elevation view of the embodiment shown in FIG. 1; and,

FIG. 8 is a left elevation view of the embodiment shown in FIG. 1.

The broken lines illustrate portions of element of a vehicle bumper system that forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D731,382 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0257497 A1 11/2007 Heatherington et al.

2012/0104775 A1* 5/2012 Marur et al. 293/120
2012/0104778 A1* 5/2012 Mana et al. 293/133
2012/0153643 A1* 6/2012 Mana et al. 293/120

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 8




Fig. 7