



US00D731398S

(12) **United States Design Patent**  
**Bobba**

(10) **Patent No.:** **US D731,398 S**  
(45) **Date of Patent:** **\*\* Jun. 9, 2015**

(54) **UNDERRUN PROTECTION COMPONENT**

- (71) Applicant: **SABIC Innovative Plastics IP B.V.**,  
Bergen op Zoom (NL)
- (72) Inventor: **Somasekhar Bobba**, Bangalore (IN)
- (73) Assignee: **SABIC GLOBAL TECHNOLOGIES**  
**B.V.** (NL)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/445,844**
- (22) Filed: **Feb. 18, 2013**
- (51) **LOC (10) Cl.** ..... **12-16**
- (52) **U.S. Cl.**  
USPC ..... **D12/400**
- (58) **Field of Classification Search**  
USPC ..... D12/163, 164, 167, 169, 171, 222, 400,  
D12/401; D28/36, 92; 293/103, 121, 132,  
293/133, 134, 204; 296/156, 164, 166  
CPC ..... B60R 1/10; B60R 1/105; B60R 3/005;  
B60R 3/02; B60R 13/0861; B60R 19/56;  
B60R 2021/002

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,913,268	A *	4/1990	Parker et al.	293/155
7,192,067	B2 *	3/2007	Hansen	293/133
D573,924	S *	7/2008	Tachibana	D12/163
7,766,403	B2	8/2010	Alvarsson et al.	
D637,205	S *	5/2011	Luxon et al.	D12/400
8,052,184	B2 *	11/2011	Braunbeck et al.	293/133
D664,082	S *	7/2012	Cohen	D12/400
2009/0001768	A1 *	1/2009	Saitou	296/204
2010/0117385	A1 *	5/2010	Jenuwine et al.	293/132
2013/0249223	A1 *	9/2013	Deighton	293/103
2013/0257068	A1 *	10/2013	Nakazawa et al.	293/103
2014/0203592	A1 *	7/2014	Nagwanshi et al.	296/187.01

**FOREIGN PATENT DOCUMENTS**

EP	1935724	A1	6/2008
EP	2038145	B1	3/2011
JP	2004072434	A	3/2004
JP	2012224275	A	11/2012
WO	2013002010	A1	1/2013

**OTHER PUBLICATIONS**

- Japanese Patent No. 2004072434 (A); Publication Date: Mar. 4, 2004; Abstract Only; 2 Pages.
- Japanese Patent No. 2012224275 (A); Publication Date: Nov. 15, 2012; Abstract Only; 1 Page.
- International Publication No. 2013002010 (A1); Publication Date: Jan. 3, 2013; Abstract Only; 1 Page.

\* cited by examiner

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**


The ornamental design for an underrun protection component, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an underrun protection component, showing an embodiment of our new design;  
 FIG. 2 is a front elevation view of the embodiment shown in FIG. 1;  
 FIG. 3 is a top plan view of the embodiment shown in FIG. 1;  
 FIG. 4 is a right elevation view of the embodiment shown in FIG. 1;  
 FIG. 5 is a left elevation view of the embodiment shown in FIG. 1;  
 FIG. 6 is a rear elevation view of the embodiment shown in FIG. 1; and,  
 FIG. 7 is a bottom plan view of the embodiment shown in FIG. 1.

The broken lines in the drawings illustrate portions of the underrun protection component and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






Fig. 1




Fig. 3

Fig. 2




Fig. 5




Fig. 4




Fig. 6

Fig. 7