



US00D731421S

(12) **United States Design Patent**  
**Luque, Jr.**

(10) **Patent No.:** **US D731,421 S**  
(45) **Date of Patent:** **\*\* Jun. 9, 2015**

(54) **POWER SUPPLY BAR FOR MOBILE AUDIO SYSTEMS**

D706,711 S \* 6/2014 Robinson et al. .... D13/110  
D710,798 S \* 8/2014 Awiszus et al. .... D13/107  
2011/0127959 A1\* 6/2011 McGary et al. .... 320/114

(71) Applicant: **Jose L. Luque, Jr.**, Chicago, IL (US)

\* cited by examiner

(72) Inventor: **Jose L. Luque, Jr.**, Chicago, IL (US)

*Primary Examiner* — Susan Bennett Hattan

(\*\*) Term: **14 Years**

*Assistant Examiner* — Brett Miller

(21) Appl. No.: **29/437,484**

(74) *Attorney, Agent, or Firm* — Underwood & Associates, LLC

(22) Filed: **Nov. 16, 2012**

(57) **CLAIM**

(51) **LOC (10) Cl.** ..... **13-02**

The ornamental design for a power supply bar for mobile audio systems, as shown and described.

(52) **U.S. Cl.**

USPC ..... **D13/110; D13/123**

**DESCRIPTION**

(58) **Field of Classification Search**

USPC ..... D13/107, 108, 123, 110, 118, 119;  
320/108, 114, 164

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D278,704 S *	5/1985	Claxton et al. ....	D13/107
D341,124 S *	11/1993	Krokaugger .....	D13/123
D400,167 S *	10/1998	Klaus .....	D13/110
D632,650 S *	2/2011	Rashid et al. ....	D13/110
D640,192 S *	6/2011	Robinson et al. ....	D13/107
D657,309 S *	4/2012	Robinson et al. ....	D13/107
D680,066 S *	4/2013	Kinoshita et al. ....	D13/107
D693,762 S *	11/2013	Inskeep .....	D13/107
D695,698 S *	12/2013	Greenberg .....	D13/123
D698,724 S *	2/2014	Palatini .....	D13/110

FIG. 1 is a perspective view of a power supply bar for mobile audio systems;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a left side elevational view thereof; and,

FIG. 7 is a right side elevational view thereof.

The three linearly-arranged cone frustums shown in dashed lines on the top of the power supply bar illustrate set-screw-type fastening devices that can be used to hold a conductive wire within the power supply bar and form no part of the claimed design.

FIGS. 6 & 7 are shown at a larger scale.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7