



US00D731434S

(12) **United States Design Patent**
Akana et al.

(10) **Patent No.:** **US D731,434 S**
(45) **Date of Patent:** **** *Jun. 9, 2015**

(54) **CONNECTOR**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Jody Akana**, San Francisco, CA (US);
Bartley K. Andre, Palo Alto, CA (US);
Jeremy Bataillou, San Francisco, CA (US);
Daniel J. Coster, San Francisco, CA (US);
Daniele De Iuliis, San Francisco, CA (US);
M. Evans Hankey, San Francisco, CA (US);
Julian Hoenig, San Francisco, CA (US);
Richard P. Howarth, San Francisco, CA (US);
Jonathan P. Ive, San Francisco, CA (US);
Duncan Robert Kerr, San Francisco, CA (US);
Shin Nishibori, Kailua, HI (US);
Matthew Dean Rohrbach, San Francisco, CA (US);
Peter Russell-Clarke, San Francisco, CA (US);
Christopher J. Stringer, Woodside, CA (US);
Eugene Antony Whang, San Francisco, CA (US);
Rico Zörkendörfer, San Francisco, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/449,244**

(22) Filed: **Mar. 14, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/432,034, filed on Sep. 12, 2012, and a continuation of application No. 29/426,587, filed on Jul. 6, 2012, now Pat. No. Des. 684,539.

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/147**

(58) **Field of Classification Search**


USPC D13/133, 147, 153, 154, 184, 199;
D14/432, 433, 435, 435.1, 436, 437,
D14/438; 439/79, 108, 135, 180, 246, 278,
439/291, 328, 344, 350, 353, 357, 358, 374,
439/378, 381, 391, 489, 509, 527, 529, 530,
439/533, 587, 594, 598, 607.01, 607.04,
439/607.05, 607.17, 607.25, 607.34,
439/607.41, 607.53, 626, 629, 637, 656,
439/660, 668, 676, 680, 711, 745, 752, 892,
439/894

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D304,028 S	10/1989	Matsuzaki
D369,157 S	4/1996	Ohmori et al.
D399,047 S	10/1998	Yoshida et al.
6,137,710 A	10/2000	Iwasaki et al.
D452,245 S	12/2001	Wallace et al.
D452,246 S	12/2001	Wallace et al.
6,483,038 B2	11/2002	Lee et al.
D487,747 S	3/2004	Yu et al.
D525,977 S	8/2006	Yao
7,094,089 B2	8/2006	Andre et al.
D543,156 S	5/2007	Suckle
D552,099 S	10/2007	Nishizawa et al.
D558,145 S	12/2007	Stavoe et al.
D563,899 S	3/2008	Goetz et al.
7,354,312 B2	4/2008	Chuang
D586,293 S	2/2009	Fujino
D588,545 S	3/2009	Andre et al.
D594,418 S	6/2009	Fujino et al.
D607,886 S	1/2010	Bolotin et al.
D612,809 S	3/2010	Zhao et al.
D621,785 S	8/2010	Nickol
D636,337 S	4/2011	Smith et al.
D637,193 S	5/2011	Andre et al.
D643,040 S	8/2011	Sedio et al.
D655,296 S	3/2012	Andre et al.
D656,147 S	3/2012	Schlossstein
D658,665 S	5/2012	Akana et al.
D659,150 S	5/2012	Andre
D665,754 S	8/2012	Cobbett et al.
D683,703 S	6/2013	Akana et al.
D684,538 S	6/2013	Akana et al.
8,454,388 B2	6/2013	Song
D703,145 S *	4/2014	Akana et al. D13/147



2002/0170972	A1	11/2002	Kim
2003/0225954	A1	12/2003	Wu
2005/0124219	A1	6/2005	Chen et al.
2005/0202727	A1	9/2005	Andre et al.
2010/0151734	A1	6/2010	Wu et al.
2011/0199729	A1	8/2011	Hsieh
2012/0252256	A1	10/2012	Zhu et al.

FOREIGN PATENT DOCUMENTS

AU	346798	S	2/2013
CL	3451-12		7/2013
CN	201130377608.3		5/2012
EM	000623848-0001		2/2007
EM	001222905-0018		10/2010
WO	WO 2006/074348	A1	7/2006
WO	WO 2011/150403	A1	12/2011
WO	WO 2011/160138	A2	12/2011
WO	WO 2011/163256	A1	12/2011
WO	WO 2011/163260	A1	12/2011
WO	WO 2012/103383	A2	8/2012

OTHER PUBLICATIONS

Co-Pending U.S. Appl. No. 29/424,270, Akana et al., "Adaptor," filed Jun. 10, 2012 (Not Published).

Co-Pending U.S. Appl. No. 29/426,587, Akana et al., "Connector," filed Jul. 6, 2012 (Not Published).

Co-Pending U.S. Appl. No. 29/431,556, Akana et al., "Adapters and Connectors," filed Sep. 7, 2012 (Not Published).

Co-Pending U.S. Appl. No. 29/431,841, Akana et al., "Adapter," filed Sep. 11, 2012 (Not Published).

Co-Pending U.S. Appl. No. 29/432,034, Akana et al., "Connector Silhouette," filed Sep. 12, 2012 (Not Published).

Co-Pending U.S. Appl. No. 29/441,757, Akana et al., "USB Device," filed Jan. 9, 2013 (Not Published).

International Patent Application No. PCT/US12/54318, Apple Inc., "Connectors for Electronic Devices," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/250,920, Siahaan et al., "Connector with Multi-Layer NI Underplated Contacts," filed Sep. 30, 2011 (Not Published).

U.S. Appl. No. 13/346,260, Jol et al., "Hotbar Device and Methods for Assembling Electrical Contacts to Ensure Co-Planarity," filed Jan. 9, 2012 (Not Published).

U.S. Appl. No. 13/607,366, Golko et al., "Dual Orientation Electronic Connector," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,404, Mullins et al., "Techniques for Detecting Removal of a Connector," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,426, Mullins et al., "Data Structures for Facilitating Communication Between a Host Device and an Accessory," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,430, Sarwar et al., "Audio/Video Connector for an Electronic Device," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,443, Fritchman et al., "Connector Adapter," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,446, Terlizzi et al., "Cascading Power for Accessories," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,454, Andrews et al., "Accessory Booting Over USB," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,462, Golko et al., "Connector Architecture and Insertion Profile," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,473, Mullins et al., "Methods, Systems and Apparatus for Determining Whether an Accessory Includes Particular Circuitry," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,478, Mullins et al., "Methods, Systems and Apparatus for Enabling an Accessory for Use with a Host Device," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,497, Weber et al., "Retention Mechanism Device," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,502, Weber et al., "Underfill Applicator Device and Methods for Assembling Electrical Contacts," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,519, Terlizzi et al., "Adapter for Electronic Devices," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,528, Ardisana, II et al., "Reinforcing Bars in I/O Connectors," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,550, Terlizzi et al., "Techniques for Configuring Contacts of a Connector," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,553, Rich et al., "Adapter for Use With a Portable Electronic Device," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,554, Golko et al., "Insert-Molded Connector Contacts," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,563, Golembeski et al., "Multi-Mode Adapter," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,566, Golko et al., "Plug Connector Modules," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,598, Colahan et al., "Compliant Mount for Connector," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/607,600, Weber et al., "Retention Mechanism Having Improved Fatigue Strength," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 13/610,326, Siahaan et al., "Assembly of a Cable," filed Sep. 11, 2012 (Not Published).

U.S. Appl. No. 13/610,631, Schmidt et al., "Connectors and Methods for Manufacturing Connectors," filed Sep. 11, 2012 (Not Published).

U.S. Appl. No. 13/610,750, Webb et al., "Single-Piece Shield Can," filed Sep. 11, 2012 (Not Published).

U.S. Appl. No. 13/610,832, Webb et al., "Dock with Compliant Connector Mount," filed Sep. 11, 2012 (Not Published).

U.S. Appl. No. 61/668,074, Terlizzi et al., "Techniques for Monitoring Contacts in a Connector," filed Jul. 5, 2012 (Not Published).

U.S. Appl. No. 61/693,228, Weber et al., "Self-Lubricating Retention Mechanism," filed Aug. 24, 2012 (Not Published).

U.S. Appl. No. 61/693,232, Weber et al., "Retention Mechanism Having Improved Fatigue Strength," filed Aug. 24, 2012 (Not Published).

U.S. Appl. No. 61/698,496, Zadesky et al., "Context Aware Functionality in a Portable Electronic Device," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 61/698,538, Soohoo et al., "Plug Connector," filed Sep. 7, 2012 (Not Published).

U.S. Appl. No. 61/699,818, Uttermann et al., "Connector Trim," filed Sep. 11, 2012 (Not Published).

U.S. Appl. No. 61/699,838, Weber et al., "Dock Connector With Compliance Mechanism," filed Sep. 11, 2012 (Not Published).

International Patent Application No. PCT/CN2012/081245, Apple Inc., "Rack Plating," filed Sep. 11, 2012 (Not Published).

International Patent Application No. PCT/CN2012/081257, Apple Inc., "Connectors and Methods for Manufacturing Connectors," filed Sep. 11, 2012 (Not Published).

Co-pending U.S. Appl. No. 29/455,173, Akana et al., "Connector," filed May 17, 2013 (Not Published).

Co-pending U.S. Appl. No. 29/455,174, Akana et al., "Connector," filed May 17, 2013 (Not Published).

* cited by examiner

Primary Examiner — Daniel Bui
(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for a connector, as shown and described.

DESCRIPTION

The patent or application file contains at least one drawing executed in color. Copies of this patent or patent application publication with color drawing(s) will be provided by the Office upon request and payment of the necessary fee. FIG. 1 is a bottom front perspective view of a connector showing our new design;

FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a side view thereof;
FIG. 5 is another side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

The broken lines in the figures show portions of the connector that form no part of the claimed design.

1 Claim, 4 Drawing Sheets
(4 of 4 Drawing Sheet(s) Filed in Color)



FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7