

US00D731446S

(12) **United States Design Patent**  
**Sparks et al.**

(10) **Patent No.:** **US D731,446 S**  
(45) **Date of Patent:** **\*\* Jun. 9, 2015**

(54) **ELECTRONIC DEVICE WITH ILLUMINATING SURFACE ORNAMENTATION**

(71) Applicant: **Microsoft Corporation**, Redmond, WA (US)

(72) Inventors: **Bryan A. Sparks**, Sammamish, WA (US); **Monika Wolf**, Redmond, WA (US); **Eric Joseph Wahl**, Kirkland, WA (US); **Aditha M. Adams**, Seattle, WA (US)

(73) Assignee: **Microsoft Corporation**, Redmond, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/464,517**

(22) Filed: **Aug. 16, 2013**

(51) **LOC (10) Cl.** ..... **13-03**

(52) **U.S. Cl.**

USPC ..... **D13/174**; D14/454

(58) **Field of Classification Search**

USPC ..... D13/162, 164, 171, 173, 174, 177; D14/188, 203.1, 203.5, 217, 299, 247, D14/390, 391, 392, 388, 400, 401, 432, 455, D14/496, 433, 454, 456; D21/333; 200/5 R, 200/5 A, 5 E, 302.2, 520, 530, 293, 296, 200/314, 329, 341; 273/148 B; 307/139, 307/157; 345/156, 169, 184; 463/37, 46; 710/73

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,207,426 A \* 5/1993 Inoue et al. .... 463/36  
5,259,626 A \* 11/1993 Ho ..... 463/37  
D342,550 S \* 12/1993 Lin ..... D14/401  
D366,069 S \* 1/1996 Mowrey ..... D14/401  
D377,057 S \* 12/1996 Lee ..... D14/401

D380,783 S \* 7/1997 Tyler ..... D14/401  
5,645,277 A \* 7/1997 Cheng ..... 273/148 B  
5,759,100 A \* 6/1998 Nakanishi ..... 463/37  
5,785,317 A \* 7/1998 Sasaki ..... 273/148 B  
5,903,257 A \* 5/1999 Nishiumi et al. .... 345/157  
D430,222 S \* 8/2000 Goto ..... D21/333  
D431,051 S \* 9/2000 Goto ..... D21/333  
D452,247 S \* 12/2001 Flynn ..... D14/454  
6,394,905 B1 \* 5/2002 Takeda et al. .... 463/29

(Continued)

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for an electronic device with illuminating surface ornamentation, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of an icon for an electronic device with illuminating surface ornamentation showing our new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 front perspective view of the electronic device with illuminating surface ornamentation of FIGS. 1-7 shown in an illuminated state;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a right side view thereof;



FIG. 12 is a left side view thereof;

FIG. 13 is a top view thereof; and,

FIG. 14 is a bottom view thereof.

The broken line showing of the remainder of the electronic device and the unshaded regions therein in FIGS. 1-14 is for environmental purposes only and forms no part of the claimed design. The radiating lines emanating from the diagonal region in FIGS. 8-14 represent illumination.

**1 Claim, 12 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

|                |         |                      |                   |         |                     |           |
|----------------|---------|----------------------|-------------------|---------|---------------------|-----------|
| D483,769 S     | 12/2003 | Stewart et al.       | 7,580,728 B2 *    | 8/2009  | Vance et al. ....   | 455/556.1 |
| D483,770 S     | 12/2003 | Lum et al.           | D603,865 S *      | 11/2009 | Jordan et al. ....  | D14/455   |
| D484,887 S     | 1/2004  | Stewart et al.       | D644,695 S *      | 9/2011  | Falc et al. ....    | D21/333   |
| 6,676,520 B2 * | 1/2004  | Nishiumi et al. .... | D658,179 S *      | 4/2012  | Ikeda et al. ....   | D14/401   |
| 6,722,984 B1 * | 4/2004  | Sweeney et al. ....  | 8,232,967 B2 *    | 7/2012  | Ozolins ....        | 345/168   |
| D510,392 S *   | 10/2005 | Hussaini et al. .... | 8,267,786 B2 *    | 9/2012  | Ikeda ....          | 463/37    |
| D516,080 S *   | 2/2006  | Sakamoto et al. .... | 8,313,379 B2 *    | 11/2012 | Ikeda et al. ....   | 463/38    |
| D521,015 S *   | 5/2006  | Hayes et al. ....    | D694,830 S *      | 12/2013 | Crowley et al. .... | D21/333   |
| D551,230 S *   | 9/2007  | Lau et al. ....      | D705,741 S *      | 5/2014  | Porter et al. ....  | D13/162   |
| 7,301,532 B1 * | 11/2007 | Dobry ....           | D705,743 S *      | 5/2014  | Porter et al. ....  | D13/174   |
| D570,356 S     | 6/2008  | Ikeda et al.         | D705,744 S *      | 5/2014  | Porter et al. ....  | D13/177   |
| D582,422 S     | 12/2008 | Ikeda et al.         | D709,839 S *      | 7/2014  | Sparks et al. ....  | D13/177   |
| D582,423 S     | 12/2008 | Ikeda et al.         | D714,231 S *      | 9/2014  | Sparks et al. ....  | D13/174   |
| D585,071 S     | 1/2009  | Ikeda et al.         | 2004/0100447 A1 * | 5/2004  | Ozolins ....        | 345/170   |
| D590,405 S *   | 4/2009  | Smith et al. ....    | 2007/0268263 A1 * | 11/2007 | Li et al. ....      | 345/170   |
| D595,733 S *   | 7/2009  | Harper et al. ....   | 2010/0090962 A1 * | 4/2010  | Yoo et al. ....     | 345/170   |
|                |         |                      | 2014/0092022 A1 * | 4/2014  | Chao ....           | 345/170   |
|                |         |                      | 2015/0022457 A1 * | 1/2015  | Meierling ....      | 345/170   |

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3






FIG. 5




FIG. 4




FIG. 6




FIG. 7







FIG. 8




FIG. 9




FIG. 10




FIG. 12




FIG. 11




FIG. 13




FIG. 14