



US00D731715S

(12) **United States Design Patent**  
**Rissanen et al.**

(10) **Patent No.:** **US D731,715 S**

(45) **Date of Patent:** **\*\* Jun. 9, 2015**

- (54) **LEASH**
- (71) Applicants: **Kati Rissanen**, Räsälä (FI); **Niina Thitz**, Kuopio (FI)
- (72) Inventors: **Kati Rissanen**, Räsälä (FI); **Niina Thitz**, Kuopio (FI)
- (73) Assignee: **BEST FRIEND GROUP OY**, Kuopio (FI)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/460,316**
- (22) Filed: **Jul. 10, 2013**
- (51) **LOC (10) Cl.** ..... **30-04**
- (52) **U.S. Cl.**  
USPC ..... **D30/153**
- (58) **Field of Classification Search**  
USPC ..... D30/144, 145, 146, 151, 152, 153, 199;  
D2/627, 639; D7/396.2; 119/174, 654,  
119/769, 770, 771, 772, 791–798, 815, 821,  
119/850, 855, 856, 858–860, 863–865,  
119/907; 2/16, 322  
CPC ... A01K 27/00; A01K 27/001; A01K 27/002;  
A01K 27/003; A01K 27/005; A45F 2005/008  
See application file for complete search history.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

2,821,168	A *	1/1958	Forbes	.....	119/795
2,861,547	A *	11/1958	Dale	.....	119/797
3,332,398	A *	7/1967	Mintz	.....	119/797

3,458,867	A *	8/1969	Moore et al.	.....	2/16
5,038,719	A *	8/1991	McDonough	.....	119/772
5,309,575	A *	5/1994	Lookhoof	.....	2/322
5,351,654	A *	10/1994	Fuentes	.....	119/770
D386,537	S *	11/1997	Cox	.....	D21/302
6,089,193	A *	7/2000	Paglericcio	.....	119/795
6,095,093	A *	8/2000	Kisko et al.	.....	119/770
D492,454	S *	6/2004	Saunders	.....	D30/153
6,971,334	B1 *	12/2005	Livesay et al.	.....	119/798
D549,886	S *	8/2007	Kleinert	.....	D29/123
7,418,926	B2 *	9/2008	Kung	.....	119/798
D597,788	S *	8/2009	Ellis	.....	D7/396.2
7,886,700	B2 *	2/2011	Glazer	.....	119/796
D654,231	S *	2/2012	Clayton	.....	D30/153
2009/0235873	A1 *	9/2009	Gould et al.	.....	119/770

\* cited by examiner

*Primary Examiner* — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Klauber & Jackson LLC

(57) **CLAIM**

The ornamental design for a leash, as shown and described.

**DESCRIPTION**

FIG. 1 is a top right perspective view of a leash showing our new design;  
 FIG. 2 is a second top right perspective view thereof;  
 FIG. 3 is a bottom left perspective view thereof;  
 FIG. 4 is a right side view thereof;  
 FIG. 5 is a perspective view similar to FIG. 2 and rotated clockwise by 90 degrees with respect thereto;  
 FIG. 6 is a perspective view similar to FIG. 5 and rotated clockwise by 180 degrees with respect thereto; and,  
 FIG. 7 left side perspective view with the strap portion in a fully extended condition and shown coiled about itself.

**1 Claim, 7 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7

