



US00D731787S

(12) **United States Design Patent**
Sullivan-Stevens

(10) **Patent No.:** **US D731,787 S**
(45) **Date of Patent:** **** Jun. 16, 2015**

(54) **SHOULDER BAG**

(71) Applicant: **Colin Sullivan-Stevens**, Portland, ME (US)

(72) Inventor: **Colin Sullivan-Stevens**, Portland, ME (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/466,264**

(22) Filed: **Sep. 5, 2013**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/232**

(58) **Field of Classification Search**

USPC D3/232-233, 245-246; 150/100, 150/103-110, 113-114, 117-119

CPC A45C 1/024; A45C 3/06
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D96,725 S *	9/1935	Courtine	D3/243
D529,282 S *	10/2006	Legay	D3/246
D535,098 S *	1/2007	Maier	D3/246
D591,041 S *	4/2009	Dickinson	D3/232

* cited by examiner

Primary Examiner — Holly Baynham

(74) *Attorney, Agent, or Firm* — Pierce Atwood LLP; Kevin M. Farrell

(57) **CLAIM**

The ornamental design for a shoulder bag, as shown and described.

DESCRIPTION

FIG. 1 is a top isometric view of an embodiment of a shoulder bag having two exterior panels;

FIG. 2 is a bottom isometric view of the shoulder bag of FIG. 1;

FIG. 3 is a front view of the shoulder bag of FIG. 1;

FIG. 4 is a rear view of the shoulder bag of FIG. 1;

FIG. 5 is a left side view of the shoulder bag of FIG. 1;

FIG. 6 is a right side view of the shoulder bag of FIG. 1;

FIG. 7 is a top plan view of the shoulder bag of FIG. 1;

FIG. 8 is a bottom plan view of the shoulder bag of FIG. 1;

FIG. 9 is a flat assembly view of the shoulder bag of FIG. 1;

FIG. 10 is a top isometric view of a shoulder bag having one exterior panel;

FIG. 11 is a bottom isometric view of the shoulder bag of FIG. 10;

FIG. 12 is a front view of the shoulder bag of FIG. 10;

FIG. 13 is a rear view of the shoulder bag of FIG. 10;

FIG. 14 is a left side view of the shoulder bag of FIG. 10;

FIG. 15 is a right side view of the shoulder bag of FIG. 10;

FIG. 16 is a top plan view of the shoulder bag of FIG. 10;

FIG. 17 is a bottom plan view of the shoulder bag of FIG. 10;

FIG. 18 is a flat assembly view of the shoulder bag of FIG. 10;

FIG. 19 is a top isometric view of a shoulder bag having three exterior panels;

FIG. 20 is a bottom isometric view of the shoulder bag of FIG. 19;

FIG. 21 is a front view of the shoulder bag of FIG. 19;

FIG. 22 is a rear view of the shoulder bag of FIG. 19;

FIG. 23 is a left side view of the shoulder bag of FIG. 19;

FIG. 24 is a right side view of the shoulder bag of FIG. 19;

FIG. 25 is a top plan view of the shoulder bag of FIG. 19;


FIG. 26 is a bottom plan view of the shoulder bag of FIG. 19;

and,

FIG. 27 is a flat assembly view of the shoulder bag of FIG. 19.

The broken lines showing stitching are part of the claimed design.

1 Claim, 15 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27