



US00D731906S

(12) **United States Design Patent**  
**Troutman et al.**

(10) **Patent No.:** **US D731,906 S**  
(45) **Date of Patent:** **\*\* Jun. 16, 2015**

(54) **MONITORING DEVICE**

(74) *Attorney, Agent, or Firm* — Sheehan Phinney Bass + Green PA

(71) Applicant: **Canary Connect, Inc.**, New York, NY (US)

(57) **CLAIM**

The ornamental design for a monitoring device, as shown and described.

(72) Inventors: **Jonathan D. Troutman**, Brooklyn, NY (US); **James C. Krause**, Astoria, NY (US); **Adam D. Sager**, Englewood Cliffs, NJ (US); **Chris I. Rill**, Mamaroneck, NY (US); **Karthik Lakshminarayanan**, Wilmington, DE (US)

**DESCRIPTION**

(73) Assignee: **Canary Connect, Inc.**, New York, NY (US)

FIG. 1 is an upper perspective view of a monitoring and security device in accordance with a first embodiment of the invention, showing our design;  
FIG. 2 is a rear perspective view thereof;  
FIG. 3 is bottom perspective view thereof;  
FIG. 4 is a top view thereof with lines 9-9 and 10-10 indicating cross-sectional views of FIG. 9 and FIG. 10, respectively;  
FIG. 5 is a front view thereof;  
FIG. 6 is a right side view thereof, wherein the left side view is a mirror image of the right side view;  
FIG. 7 is a rear view thereof;  
FIG. 8 is a bottom view thereof, enlarged to better show the design;  
FIG. 9 is a cross-sectional view thereof through line 9-9 of FIG. 4, indicating circled sections 11 and 12 which are shown enlarged in FIGS. 11 and 12, respectively;  
FIG. 10 is a cross-sectional view thereof through line 10-10 of FIG. 4;  
FIG. 11 is an enlarged view of the circled region 11 in FIG. 11;  
FIG. 12 is an enlarged view of the circled region 12 in FIG. 11;  
FIG. 13 is an upper perspective view of a monitoring device in accordance with a second embodiment of the invention, showing our design;  
FIG. 14 is a rear perspective view thereof;  
FIG. 15 is bottom perspective view thereof;  
FIG. 16 is a top view thereof, with lines 21-21 and 22-22 indicating cross-sectional views of FIG. 21 and FIG. 22, respectively;  
FIG. 17 is a front view thereof;  
FIG. 18 is a right side view thereof, wherein the left side view is a mirror image of the right side view;  
FIG. 19 is a rear view thereof;  
FIG. 20 is a bottom view thereof, enlarged to better show the design;

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/488,801**

(22) Filed: **Apr. 23, 2014**

(51) **LOC (10) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/70**

(58) **Field of Classification Search**  
USPC ..... D10/65, 70  
CPC ..... G08G 1/096883; G08G 1/096872;  
G08G 1/096775; G01C 21/16; G01C 21/3688;  
G01C 21/30; G01V 8/20; G01J 5/02; G01J 5/023; G01J 5/24; G01J 5/10; G01J 5/20;  
G01J 5/0235; G01J 5/08; G01J 5/0853;  
G01J 5/33; G01J 5/34

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D605,963 S \* 12/2009 Kawai ..... D10/104.1  
D628,103 S \* 11/2010 Schmalz et al. .... D10/70

*Primary Examiner* — Antoine D Davis




FIG. 21 is a cross-sectional view thereof through line 21-21 of FIG. 16;

FIG. 22 is a cross-sectional view thereof through line 22-22 of FIG. 16;

The broken lines in FIGS. 13-22 are included for the purpose of showing environmental structure that forms no part of the design. The two bracketed lines represent indeterminate height.

FIG. 23 is an upper perspective view of a monitoring and security device in accordance with a third embodiment of the invention, showing our design;

FIG. 24 is a rear perspective view thereof;

FIG. 25 is bottom perspective view thereof;

FIG. 26 is a top view thereof with lines 31-31 and 32-32 indicating cross-sectional views of FIG. 31 and FIG. 32, respectively;

FIG. 27 is a front view thereof;

FIG. 28 is a right side view thereof, wherein the left side view is a mirror image of the right side view;

FIG. 29 is a rear view thereof;

FIG. 30 is a bottom view thereof, enlarged to better show the design;

FIG. 31 is a cross-sectional view thereof through line 31-31 of FIG. 26; and,

FIG. 32 is a cross-sectional view thereof through line 32-32 of FIG. 26.

The article in FIGS. 13-22 is shown with a symbolic break in its height. The appearance of any portion of the article between the break lines forms no part of the claimed design.

**1 Claim, 31 Drawing Sheets**




FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6






FIG. 7




FIG.8




FIG.9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15






FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG.20




FIG.21




FIG.22




FIG.23






FIG.24




FIG.25




FIG.26




FIG.27




FIG. 28




FIG. 29




FIG.30




FIG.31






FIG.32