



US00D732241S

(12) **United States Design Patent**
Couzyn

(10) **Patent No.:** **US D732,241 S**
(45) **Date of Patent:** **** Jun. 16, 2015**

- (54) **HARNESS**
- (71) Applicant: **Rhys James Couzyn, Ballito (ZA)**
- (72) Inventor: **Rhys James Couzyn, Ballito (ZA)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/454,189**
- (22) Filed: **May 7, 2013**
- (51) **LOC (10) Cl.** **29-02**
- (52) **U.S. Cl.**
USPC **D29/101.1**
- (58) **Field of Classification Search**
USPC D29/100, 101.1–101.2, 122; D2/626,
D2/628, 629; D3/215, 218, 219, 221, 226;
D24/190; 359/362, 519; 182/3; 2/300,
2/310; D10/111; 224/259, 576, 603, 606,
224/623, 627, 647
CPC A45F 5/00; A45F 2005/006
See application file for complete search history.

- D391,368 S * 2/1998 Hall D24/110
- D600,859 S * 9/2009 Hill et al. D29/101.1
- 7,748,380 B1 * 7/2010 Phifer et al. 128/201.25
- D632,021 S * 2/2011 Carr et al. D29/124
- 8,418,899 B1 * 4/2013 Stamps 224/251

* cited by examiner

Primary Examiner — Randall Gholson
(74) *Attorney, Agent, or Firm* — Young & Thompson

(56) **References Cited**
U.S. PATENT DOCUMENTS


- D267,598 S * 1/1983 Lyer et al. D3/216
- 5,531,292 A * 7/1996 Bell 182/3

(57) **CLAIM**
The ornamental design for a harness, as shown and described.

DESCRIPTION

FIG. 1 is a front, left side, and top perspective view of a harness showing the new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a right side elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

1 Claim, 6 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6