



US00D732379S

(12) **United States Design Patent**
Gipson

(10) **Patent No.:** **US D732,379 S**

(45) **Date of Patent:** **** Jun. 23, 2015**

(54) **SHOCK ABSORBING ROPE**

(71) Applicant: **Tommie Carroll Gipson**, Eaton, CO
(US)

(72) Inventor: **Tommie Carroll Gipson**, Eaton, CO
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/516,997**

(22) Filed: **Feb. 9, 2015**

Related U.S. Application Data

(63) Continuation-in-part of application No. 14/206,465,
filed on Mar. 12, 2014.

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/382**

(58) **Field of Classification Search**
USPC D8/44, 349, 354, 373, 376, 382, 499;
D3/215, 221, 254, 255, 300, 318, 327,
D3/328.1

CPC A62B 35/0056; A62B 35/0043; A62B
35/0006; A62B 35/0025; A62B 35/0075;
A62B 35/04; A62B 35/00; A01K 15/003;
A01K 15/00; A01K 27/005; A01K 27/006

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,444,957 A * 5/1969 Ervin, Jr. 182/3
3,937,407 A * 2/1976 Matsuo 244/151 R

4,446,944 A * 5/1984 Forrest et al. 182/3
5,174,410 A * 12/1992 Casebolt 182/3
5,598,900 A * 2/1997 O'Rourke 182/3
D472,044 S * 3/2003 Lukach D3/215
6,763,650 B1 7/2004 Snow
6,851,516 B2 * 2/2005 Petzl et al. 182/3
D543,693 S * 6/2007 Fishman et al. D3/215
D580,257 S * 11/2008 Squyres D8/349
D676,658 S * 2/2013 Holloway et al. D3/318
D716,051 S * 10/2014 Fischer D3/318
2005/0217748 A1 * 10/2005 Ikegami 139/388
2011/0109026 A1 5/2011 Sanford
2015/0053146 A1 * 2/2015 Gipson 119/795

FOREIGN PATENT DOCUMENTS

CA 2482246 A1 * 3/2006 A62B 35/00
DE 2513718 A1 * 10/1975 A01K 15/00
DE 9401500 U1 * 3/1994 A62B 35/04
FR 2543003 A1 * 9/1984 A62B 35/04

* cited by examiner

Primary Examiner — Sheryl Lane

Assistant Examiner — Ieisha Price

(74) *Attorney, Agent, or Firm* — Elizabeth R. Hall


(57) **CLAIM**

I claim the ornamental design of a shock absorbing rope, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the shock absorbing rope. FIG. 2 is a back view of the shock absorbing rope. FIG. 3 is a side view of the shock absorbing rope; and, FIG. 4 is a top view of the shock absorbing rope, with the bottom view being a mirror image of.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4