



US00D732410S

(12) **United States Design Patent**  
**Waalder et al.**

(10) **Patent No.:** **US D732,410 S**  
(45) **Date of Patent:** **\*\* Jun. 23, 2015**

(54) **PH PROBE**  
(71) Applicant: **Hach Company**, Loveland, CO (US)  
(72) Inventors: **Luke Waalder**, Longmont, CO (US);  
**Taylor Ray Sundby**, Loveland, CO (US); **Jon Bormann**, Fort Collins, CO (US); **Faye Marie Bonomo**, Fort Collins, CO (US)

D602,384 S \* 10/2009 Samborn et al. .... D10/81  
D608,670 S \* 1/2010 Samborn et al. .... D10/81  
D650,070 S \* 12/2011 Mori ..... D24/113  
D681,487 S \* 5/2013 Lee et al. .... D10/81  
D707,352 S \* 6/2014 Liu et al. .... D24/113  
2004/0238641 A1\* 12/2004 Harima ..... 235/472.01  
2009/0159462 A1\* 6/2009 Zizek ..... 205/766  
2010/0025235 A1\* 2/2010 Nishio et al. .... 204/282

(Continued)

**OTHER PUBLICATIONS**

Oakton Waterproof EcoTestr pH2, [http://www.4oakton.com/large\\_images/35423\\_10.jpg](http://www.4oakton.com/large_images/35423_10.jpg), 1 page (available prior to Nov. 22, 2013).

(Continued)

(73) Assignee: **Hach Company**, Loveland, CO (US)  
(\*\*) Term: **14 Years**

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — FERENCE & ASSOCIATES LLC

(21) Appl. No.: **29/473,520**  
(22) Filed: **Nov. 22, 2013**  
(51) **LOC (10) Cl.** ..... **10-81**  
(52) **U.S. Cl.**  
USPC ..... **D10/81; D24/113**  
(58) **Field of Classification Search**  
USPC ..... D10/78, 81; D24/113, 133, 169, 186,  
D24/216  
CPC A61B 5/14539; A61B 5/145; G06F 19/3431;  
G01N 27/28–27/401  
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a pH probe, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of a pH probe.  
FIG. 2 is a front view of the pH probe of FIG. 1.  
FIG. 3 is a back view of the pH probe of FIG. 1.  
FIG. 4 is a left view of the pH probe of FIG. 1.  
FIG. 5 is a right view of the pH probe of FIG. 1.  
FIG. 6 is a top view of the pH probe of FIG. 1.  
FIG. 7 is a bottom view of the pH probe of FIG. 1; and,  
FIG. 8 is a front view of the pH probe of FIG. 1 having a cap.  
Features shown in broken lines form no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,994,167 A \* 2/1991 Shults et al. .... 204/403.05  
5,198,093 A \* 3/1993 Sydlowski et al. .... 204/406  
5,200,706 A \* 4/1993 Yada ..... 324/446  
D351,803 S \* 10/1994 Foley ..... D10/81  
D360,840 S \* 8/1995 Brockway et al. .... D10/81  
D453,905 S \* 2/2002 Cheng ..... D10/81  
D462,024 S \* 8/2002 Nardo et al. .... D10/81  
D496,600 S \* 9/2004 Maeno et al. .... D10/81

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

**OTHER PUBLICATIONS**

U.S. PATENT DOCUMENTS

2010/0036214 A1\* 2/2010 Rieth ..... 600/301  
2011/0098939 A1\* 4/2011 Rezvani et al. .... 702/30  
2012/0247955 A1\* 10/2012 Yamanouchi et al. .... 204/400  
2012/0286761 A1\* 11/2012 Cheng ..... 324/71.1  
2013/0172696 A1\* 7/2013 Riesinger ..... 600/309

Pen Type pH Meter PHB-3, <http://www.weiku.com/products-image/13533098/pen-type-ph-meter-PHB-3.html>, 1 page (available prior to Nov. 22, 2013).

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8