

US00D732529S

(12) **United States Design Patent**
Aumiller et al.

(10) **Patent No.:** **US D732,529 S**
(45) **Date of Patent:** **** Jun. 23, 2015**

(54) **ELECTRONIC DEVICE**

(71) Applicant: **Samsung Electronics Co., Ltd.**,
Suwon-si (KR)

(72) Inventors: **Curtis Aumiller**, San Jose, CA (US);
Pranav Mistry, Cupertino, CA (US);
Chengyuan Wei, Dalian (CN)

(73) Assignee: **SAMSUNG ELECTRONICS CO., LTD.**, Suwon-Si (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/506,094**

(22) Filed: **Oct. 13, 2014**

Related U.S. Application Data

(63) Continuation of application No. 29/453,868, filed on May 3, 2013, which is a continuation of application No. 29/449,656, filed on Mar. 15, 2013, now Pat. No. Des. 711,872.

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/344**

(58) **Field of Classification Search**

USPC D14/344; D10/30–39, 70, 128;
D24/165, 167, 186; D11/3; 455/100;
368/281, 282, 294; 361/679.03;
379/433.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D301,693 S * 6/1989 Canta D10/39
D319,026 S * 8/1991 Burgener D10/39
D324,826 S * 3/1992 Aulenti D10/30
D351,558 S * 10/1994 Moon D10/32
D361,529 S * 8/1995 Sakai et al. D10/39
D362,195 S * 9/1995 Bulgari D10/39

D409,099 S * 5/1999 Swetish D10/65
D409,504 S * 5/1999 Collier D10/34
D505,086 S * 5/2005 Fernandez
D547,211 S * 7/2007 Dias D10/39
D549,600 S * 8/2007 Rousseau D10/38
D565,433 S * 4/2008 Ratajski et al. D10/39
D596,514 S * 7/2009 Luzar et al. D10/65
D631,764 S * 2/2011 Furetta D10/32
D632,978 S * 2/2011 Duport et al. D10/32
D649,891 S * 12/2011 Binda
D653,564 S * 2/2012 Eida D10/32

(Continued)

FOREIGN PATENT DOCUMENTS

EM 000209101-0007 7/2004
EM 001767401-0004 10/2010

(Continued)

Primary Examiner — Barbara Fox

(74) *Attorney, Agent, or Firm* — McAndrews Held & Malloy, Ltd.


(57) **CLAIM**

The ornamental design for an electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a top left front perspective view of an electronic device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left-side elevation view thereof;
FIG. 5 is a right-side elevation view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a top left rear perspective view thereof wherein dot-dash broken lines show that a terminal portion of the unclaimed band is partially truncated for ease of illustration. The dashed broken lines shown in the drawings represent portions of the electronic device that form no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D677,177 S * 3/2013 Nashimoto D10/39

D690,208 S * 9/2013 Sasaki D10/32

D694,655 S * 12/2013 Rufenacht D10/38

D708,534 S 7/2014 Martin

D709,873 S 7/2014 Aumiller et al.

D709,874 S 7/2014 Aumiller et al.

D709,875 S 7/2014 Aumiller et al.

D709,876 S 7/2014 Aumiller et al.

D710,845 S 8/2014 Aumiller et al.

D711,372 S 8/2014 Aumiller et al.

D711,872 S 8/2014 Aumiller et al.

D711,873 S 8/2014 Aumiller et al.

D714,288 S 9/2014 Aumiller et al.

2014/0143784 A1* 5/2014 Mistry et al. 718/102

FOREIGN PATENT DOCUMENTS

EM 001367965-0003 4/2013

JP D1170437 4/2003

WO DM/047698 3/1999

WO DM/049173 9/1999

WO DM/051512 4/2000

WO DM/063479 4/2003

WO DM/072007 6/2009

WO DM/079242 9/2012

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8