

US00D732581S

(12) **United States Design Patent**
Swiatek et al.

(10) **Patent No.:** **US D732,581 S**
(45) **Date of Patent:** **** Jun. 23, 2015**

- (54) **SCULPTED IMPELLER**
- (71) Applicant: **Cameron International Corporation**,
Houston, TX (US)
- (72) Inventors: **Chester V. Swiatek**, Amherst, NY (US);
Mikhail Grigoriev, East Amherst, NY
(US); **James Hitt**, Lancaster, NY (US)
- (73) Assignee: **Ingersoll-Rand Company**, Davidson,
NC (US)
- (**) Term: **14 Years**

4,652,212	A	3/1987	Burger et al.	
4,653,976	A	3/1987	Blair et al.	
5,112,195	A	5/1992	Cox	
5,639,217	A *	6/1997	Ohtsuki et al.	416/183
5,730,582	A	3/1998	Heitmann	
6,017,187	A *	1/2000	Mueller	415/208.1
6,629,818	B2 *	10/2003	Svoboda	415/121.1
6,881,035	B1 *	4/2005	Paulsen	416/183
7,147,433	B2	12/2006	Ghizawi	
D554,150	S *	10/2007	Fausett et al.	D15/5
D583,391	S *	12/2008	Metcalfe	D15/7
7,517,193	B2	4/2009	Higashimori	
7,563,074	B2	7/2009	Xu	
7,628,586	B2	12/2009	Feher	

(Continued)

(21) Appl. No.: **29/492,731**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Jun. 2, 2014**

CN	1386983	12/2002
GB	2127905	4/1984

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 13/113,898, filed on
May 23, 2011, now Pat. No. 8,951,009.

(51) **LOC (10) Cl.** **15-02**

(52) **U.S. Cl.**
USPC **D15/7**

(58) **Field of Classification Search**
USPC D15/7-9; D23/231, 232; 417/410.1,
417/359, 415-416, 234, 321, 265, 405;
416/223 B, 188, 185, 203, 183;
415/181, 204, 173.7
CPC F01D 5/14; F01D 5/12; F01D 5/04;
F01D 25/24; F02B 33/40; F04D 29/42;
F04D 29/30; F04D 29/44; F01N 7/10
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,465,671	A *	3/1949	Van Millingen et al.	416/188
3,363,832	A	1/1968	Groff	
4,093,401	A	6/1978	Gravelle	
4,167,369	A	9/1979	Ishihara	

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Taft Stettinius & Hollister
LLP


(57) **CLAIM**

The ornamental design for a sculpted impeller, as shown and
described.

DESCRIPTION

FIG. 1 illustrates a perspective view of the design for the
sculpted impeller, wherein the sculpted impeller includes a
sculpted blade having a sculpted portion with a nonlinear
profile extending between a shroud intersect surface at a
shroud and a hub intersect surface at a hub, and the sculpted
blade is shown in context of a plurality of sculpted blades.
In this drawing, the solid lines illustrate the claimed ornamental
design, whereas the broken lines illustrate environmental
features that form no part of the claimed ornamental design of
the subject embodiment.

1 Claim, 1 Drawing Sheet



(56)

References Cited

FOREIGN PATENT DOCUMENTS

U.S. PATENT DOCUMENTS						
				JP	358119998	7/1983
				JP	11022695	1/1999
8,083,475	B2 *	12/2011	Bulgrin et al. 415/173.7	JP	411022695	1/1999
8,128,360	B2 *	3/2012	Sensel et al. 415/225	JP	2002021574	1/2002
D659,719	S *	5/2012	Austin et al. D15/9	JP	2002332993	11/2002
8,529,210	B2 *	9/2013	Merritt et al. 416/223 B	JP	2004044473	2/2004
8,579,591	B2 *	11/2013	Ho et al. 416/203	WO	2010103055	9/2010
2005/0260074	A1	11/2005	Higashimori			
2007/0059179	A1	3/2007	Xu			
2007/0267527	A1	11/2007	Graham et al.			

* cited by examiner

