

US00D732640S

(12) **United States Design Patent**
Sawchuk et al.

(10) **Patent No.:** **US D732,640 S**
(45) **Date of Patent:** **** Jun. 23, 2015**

- (54) **FLOW CONDITIONER FLANGE**
- (71) Applicant: **Canada Pipeline Accessories, Co. Ltd.**,
Calgary (CA)
- (72) Inventors: **Daniel Sawchuk**, Chestermere (CA);
Reginald Selirio, Calgary (CA); **Dale**
Sawchuk, Calgary (CA); **Blaine**
Sawchuk, Calgary (CA)
- (73) Assignee: **Canada Pipeline Accessories, Co. Ltd.**,
Calgary, Alberta (CA)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/465,864**
- (22) Filed: **Sep. 2, 2013**
- (51) **LOC (10) Cl.** **23-01**
- (52) **U.S. Cl.**
USPC **D23/213; D23/249**
- (58) **Field of Classification Search**
USPC **D23/213, 249; 239/428.5, 437;**
261/DIG. 22; 138/39
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D198,356 S *	6/1964	Wahlin	D23/213
D200,088 S *	1/1965	Earnshaw	D23/213
3,323,550 A *	6/1967	Lee, II	138/39
5,341,848 A	8/1994	Laws	

(Continued)

FOREIGN PATENT DOCUMENTS

CA	2171828	3/1995
CA	2228928	8/1995

(Continued)

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Cahn & Samuels, LLP

(57) **CLAIM**

The ornamental design for a flow conditioner flange, as shown and described.

DESCRIPTION

FIG. 1 illustrates a front perspective view of a flow conditioner flange in accordance with a first embodiment of the

invention having a circumferential groove disposed along the flange edge.

FIG. 2 illustrates a rear perspective view of the flow conditioner flange of FIG. 1.

FIG. 3 illustrates a front view of the flow conditioner flange of FIG. 1.

FIG. 4 illustrates a rear view of the flow conditioner flange of FIG. 1.

FIG. 5 illustrates a side view of the flow conditioner flange of FIG. 1.

FIG. 6 illustrates a front perspective view of a flow conditioner flange in accordance with a second embodiment of the invention having a circumferential groove disposed along the flange edge.

FIG. 7 illustrates a rear perspective view of a flow conditioner flange of FIG. 6.

FIG. 8 illustrates a front view of the flow conditioner flange of FIG. 6.

FIG. 9 illustrates a rear view of the flow conditioner flange of FIG. 6.

FIG. 10 illustrates a side view of the flow conditioner flange of FIG. 6.

FIG. 11 illustrates a front perspective view of a flow conditioner flange in accordance with a third embodiment of the invention having a circumferential groove disposed along the flange edge.

FIG. 12 illustrates a rear perspective view of a flow conditioner flange of FIG. 11.



FIG. 13 illustrates a front view of the flow conditioner flange of FIG. 11.

FIG. 14 illustrates a rear view of the flow conditioner flange of FIG. 11; and,

FIG. 15 illustrates a side view of the flow conditioner flange of FIG. 11.

The purpose of the broken lines in the drawings is to illustrate environmental structure that forms no part of the design sought to be patented herein.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,495,872	A	3/1996	Gallagher et al.
5,606,297	A	2/1997	Phillips
5,762,107	A	6/1998	Laws
5,959,216	A	9/1999	Hocquet et al.
7,073,534	B2	7/2006	Sawchuk et al.
7,089,963	B2 *	8/2006	Meheen 138/44
D577,100	S *	9/2008	Brown et al. D23/213
D577,101	S *	9/2008	Kong et al. D23/213
7,845,688	B2	12/2010	Gallagher et al.
8,132,961	B1	3/2012	England et al.
D674,878	S *	1/2013	Jones et al. D23/213
D682,987	S *	5/2013	Blum D23/213

D697,581	S	1/2014	Sawchuk et al.
D701,939	S	4/2014	Sawchuk et al.
D713,492	S	9/2014	Sawchuk et al.
D721,417	S	1/2015	Sawchuk et al.
2005/0178455	A1	8/2005	Cancade et al.
2008/0246277	A1	10/2008	Gallagher et al.

FOREIGN PATENT DOCUMENTS

CA	2787659	7/2011
GB	1469648	4/1977
WO	2014040191 A1	3/2014
WO	2014110673 A1	7/2014
WO	2014186883 A1	11/2014

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 15




FIG. 14