



US00D732681S

(12) **United States Design Patent**  
**Matsuura**

(10) **Patent No.:** **US D732,681 S**  
(45) **Date of Patent:** **\*\* \*Jun. 23, 2015**

(54) **MESSAGE APPLIANCE**

(71) Applicant: **TENGA CO., LTD.**, Nakano-ku, Tokyo (JP)

(72) Inventor: **Tsutomu Matsuura**, Tokyo (JP)

(73) Assignee: **TENGA CO., LTD.**, Nakano-Ku (JP)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/491,992**

(22) Filed: **May 27, 2014**

(30) **Foreign Application Priority Data**

May 15, 2014 (JP) ..... 2014-010426

(51) **LOC (10) Cl.** ..... **28-03**

(52) **U.S. Cl.**  
USPC ..... **D24/215**

(58) **Field of Classification Search**

USPC ..... D24/200, 211, 212, 213, 214, 215;  
601/114, 120, 121, 124, 125, 130, 131,  
601/134, 135, 136, 137; D14/218; D9/719  
CPC ..... A61H 19/30; A61H 19/32; A61H 19/34;  
A61H 19/40; A61H 19/44; A61H 19/50;  
A61H 19/00; A61H 2201/0153; A61H  
2201/0207; A61H 2201/0263; A61H  
2201/0111; A61H 2201/1253; A61H  
2205/082; A61H 2205/085; A61H 15/0085  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,769,872 A \* 7/1930 Weeks ..... 601/17  
D237,313 S \* 10/1975 Harris ..... D24/214

4,210,134 A \* 7/1980 Okazaki et al. .... 601/134  
4,590,926 A \* 5/1986 Courtin ..... 601/137  
D338,964 S \* 8/1993 Tarjoto ..... D24/200  
D454,959 S \* 3/2002 Harris et al. .... D24/215  
D530,429 S \* 10/2006 Sevier et al. .... D24/214  
D610,695 S \* 2/2010 Forte ..... D24/211  
D637,309 S \* 5/2011 Park ..... D24/215  
D643,128 S \* 8/2011 Mohamed et al. .... D24/215  
D687,957 S \* 8/2013 Heskier ..... D24/215  
D688,379 S \* 8/2013 Ehlers ..... D24/211  
D688,382 S \* 8/2013 Marshall ..... D24/215  
D706,440 S \* 6/2014 Hahr et al. .... D24/215  
D706,445 S \* 6/2014 Logan ..... D24/215  
D711,010 S \* 8/2014 Dematio et al. .... D24/215

\* cited by examiner

*Primary Examiner* — Sandra Snapp

(74) *Attorney, Agent, or Firm* — Masuvalley and Partners

(57) **CLAIM**

The ornamental design for a massage appliance, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the massage appliance according to the invention;  
FIG. 2 is a front elevation view of the massage appliance of FIG. 1;  
FIG. 3 is a rear elevation view of the massage appliance of FIG. 1;  
FIG. 4 is a left side elevation view of the massage appliance of FIG. 1;  
FIG. 5 is a right side elevation view of the massage appliance of FIG. 1;  
FIG. 6 is a top plan view of the massage appliance of FIG. 1;  
FIG. 7 is a bottom plan view of the massage appliance of FIG. 1; and,  
FIG. 8 is a cross-sectional view of the massage appliance through line 8-8 shown in FIG. 2.

**1 Claim, 8 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8

