

US00D732825S

(12) **United States Design Patent**
Moreau et al.

(10) **Patent No.:** **US D732,825 S**
(45) **Date of Patent:** **** Jun. 30, 2015**

(54) **POUCH FOR A BATTERY OF A CORDLESS
POWER TOOL**

(71) Applicant: **Ty-Flot, Inc.**, Manchester, NH (US)

(72) Inventors: **Darrell A. Moreau**, Manchester, NH
(US); **Andre W. Moreau**, Spring Hill,
FL (US)

(73) Assignee: **Ty-Flot, Inc.**, Manchester, NH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/471,853**

(22) Filed: **Nov. 6, 2013**

(51) **LOC (10) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/303**

(58) **Field of Classification Search**
USPC D3/303, 244–246, 305, 318, 201;
383/29, 37, 39, 72, 75, 109; 190/112
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,681,922	A *	8/1928	Boch		383/39
4,773,535	A	9/1988	Cook		
5,002,401	A	3/1991	Blackman		
D333,215	S	2/1993	Brown		
5,653,337	A	8/1997	Cirigliano		
5,692,660	A	12/1997	Stewart		
D437,481	S *	2/2001	Vazquez		D3/244
6,209,723	B1	4/2001	Fields		
D549,956	S *	9/2007	Jones		D3/244
7,629,766	B2	12/2009	Sadow		
D655,504	S *	3/2012	Barlier		D3/303
2009/0242598	A1	10/2009	Dormaar		
2013/0047561	A1	2/2013	Nichols, Jr.		
2013/0192450	A1	8/2013	Lalor		

FOREIGN PATENT DOCUMENTS

WO 2008100890 A3 8/2008

OTHER PUBLICATIONS

Tool Arrest, Tool@rrest power tool wrap with H/D tether, available at <http://www.toolarrest.co.uk/power-tool-wrap> (viewed Sep. 12, 2013).

Viper Tool, Leading Edge strap with D-ring or cinchable line, available at <http://toollanyardsbagsandbelts.com/viper-tool-safety-range.html#axzz2ehfbOhLs> (viewed Sep. 12, 2013).

Topo Designs, Cinch Bag by Topo Designs, available at <http://topodesigns.com/collection/cinch-bag/> (viewed Sep. 9, 2013).

Baldwinsville, Baldwinsville water rescue throw bag with cinch closure, available at <http://gloveholders.com/Baldwinsville%20Water%20Rescue%20Throw%20Bag.htm> (viewed Sep. 12, 2013).

Martin, Martin Camera Lens Bag Soft Carrying Case Drawstring Pouch-Small, available at <http://www.buysku.com/wholesale/camera-lens-bag-soft-carrying-case-drawstring-pouch-small.html> (last visited Sep. 12, 2013).

Alibaba.com, drawstring clasp cooler bag for beverage container, available at http://www.alibaba.com/product-gs/424314924/Pull_clasp_cooler_bag_drawstring_cooler.html (viewed Sep. 12, 2013).

* cited by examiner

Primary Examiner — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Mesmer & Deleault PLLC;
Ross K. Krutsinger

(57) **CLAIM**

We claim the ornamental design for a pouch for a battery of a cordless power tool, as shown and described.

DESCRIPTION

FIG. 1 is a right, rear perspective view of one embodiment of a pouch for a battery of a cordless power tool showing our new design with a connector retaining strap and a D-ring connector.

FIG. 2 is a right, front perspective view thereof.

FIG. 3 is a right side elevational view thereof.

FIG. 4 is a left side elevational view thereof.

FIG. 5 is a front elevational view thereof.

FIG. 6 is a rear elevational view thereof.

FIG. 7 is a top plan view thereof.

FIG. 8 is a bottom plan view thereof.




FIG. 9 is a right, rear perspective view of another embodiment of a pouch for a battery of a cordless power tool showing our new design with a connector loop.

FIG. 10 is a right, front perspective view thereof.

FIG. 11 is a right side elevational view thereof.

FIG. 12 is a left side elevational view thereof.

FIG. 13 is a front elevational view thereof.

FIG. 14 is a rear elevational view thereof.

FIG. 15 is a top plan view thereof.

FIG. 16 is a bottom plan view thereof.

FIG. 17 is a right, rear perspective view of another embodiment of a pouch for a battery of a cordless power tool showing our new design with a cord loop.

FIG. 18 is a right, front perspective view thereof.

FIG. 19 is a right side elevational view thereof.

FIG. 20 is a left side elevational view thereof.

FIG. 21 is a front elevational view thereof.

FIG. 22 is a rear elevational view thereof.

FIG. 23 is a top plan view thereof.

FIG. 24 is a bottom plan view thereof.

FIG. 25 is a right, rear perspective view of another embodiment of a pouch for a battery of a cordless power tool showing our new design with connector retaining strap, D-ring, and an optional pocket.

FIG. 26 is a right, front perspective view thereof.

FIG. 27 is a right side elevational view thereof.

FIG. 28 is a left side elevational view thereof.

FIG. 29 is a front elevational view thereof.

FIG. 30 is a rear elevational view thereof.

FIG. 31 is a top plan view thereof.

FIG. 32 is a bottom plan view thereof.

FIG. 33 is a right side elevational view of another embodiment of a pouch for a battery of a cordless tool showing our new design with optional vent holes in the side panels;

FIG. 34 is a left side elevational view thereof;

FIG. 35 is a right, rear perspective view thereof;

FIG. 36 is a top plan view thereof;

FIG. 37 is a bottom plan view thereof, showing the optional drain opening in the bottom panel; and,

FIG. 38 is a right, front perspective view of the pouch embodiment of FIG. 1 shown installed on the battery pack of a cordless power tool. The battery pack and power tool are illustrated in broken lines and form no part of the claimed invention.

1 Claim, 24 Drawing Sheets

Figure 1




Figure 2




Figure 3




Figure 4



Figure 5




Figure 6




Figure 7




Figure 8

A perspective view of a rectangular, inflatable device, similar to Figure 7 but with a different design. The device has a smooth, flat surface and rounded corners. On the left side, there is a small circular component, possibly a valve or a connector, with a small tube or cord extending from it. The device is shown in a slightly inflated state, with some shading to indicate its three-dimensional form.

Figure 9




Figure 10




Figure 11



Figure 12



Figure 13




Figure 14




Figure 15




Figure 16




Figure 17



Figure 18




Figure 19




Figure 20



Figure 21




Figure 22




Figure 23




Figure 24




Figure 25




Figure 26




Figure 27




Figure 28



Figure 29




Figure 30




Figure 31




Figure 32




Figure 33




Figure 34




Figure 35




Figure 36




Figure 37

A perspective view of a rectangular, inflatable device, similar to Figure 36. It has a central circular opening. The edges are gathered and folded. On the left side, there is a strap with a buckle and a small loop. The device is shown in a slightly inflated state.

Figure 38

