

US00D732943S

(12) **United States Design Patent**
Butler

(10) **Patent No.:** **US D732,943 S**
(45) **Date of Patent:** **** Jun. 30, 2015**

(54) **LINE FASTENING DEVICE**

(71) Applicant: **David Oliver Butler**, Tarpon Springs,
FL (US)

(72) Inventor: **David Oliver Butler**, Tarpon Springs,
FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/480,829**

(22) Filed: **Jan. 30, 2014**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/382**

(58) **Field of Classification Search**
USPC D8/349, 350, 353, 354, 355, 356, 359,
D8/366, 367, 373, 374, 381, 382, 383, 385,
D8/386; D12/180, 300, 317, 400;
D11/200, 212
CPC B63C 1/00; B63C 11/00; B63C 13/00;
B63C 15/00; B63C 21/00; F16G 11/00
See application file for complete search history.

| | | | |
|----------------|---------|-------------------|------------|
| D406,229 S * | 3/1999 | Lucht | D8/382 |
| D422,200 S * | 4/2000 | Maruyama | D8/382 |
| D462,256 S * | 9/2002 | Jaynes | D8/382 |
| D468,680 S * | 1/2003 | Lee et al. | D12/317 |
| D491,055 S * | 6/2004 | Chou | D8/382 |
| 6,928,945 B1 * | 8/2005 | Tebo, Jr. | 114/230.15 |
| D525,110 S * | 7/2006 | Beard et al. | D8/330 |
| D563,212 S * | 3/2008 | Campbell | D8/382 |
| D583,224 S * | 12/2008 | Holdsworth | D8/382 |
| D590,702 S * | 4/2009 | Giddings | D8/382 |
| D632,553 S * | 2/2011 | South | D8/384 |
| D642,126 S * | 7/2011 | Li et al. | D13/122 |
| D648,210 S * | 11/2011 | Reynoso | D8/382 |
| D657,300 S * | 4/2012 | Wright | D12/317 |
| D687,701 S * | 8/2013 | Rast | D8/382 |
| D691,877 S * | 10/2013 | Ganski | D8/356 |
| D697,393 S * | 1/2014 | Sauer | D8/382 |
| D697,469 S * | 1/2014 | Stanley | D12/317 |

* cited by examiner

Primary Examiner — Eric Goodman
Assistant Examiner — Bao-Yen Nguyen

(57) **CLAIM**
The ornamental design for a line fastening device, as shown and described.

DESCRIPTION


FIG. 1 is a front elevational view of a line fastening device showing my new design
FIG. 2 is a front perspective view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a rear perspective view thereof; and,
FIG. 5 is a side view thereof.

1 Claim, 2 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|----------------------|-----------|
| D286,597 S * | 11/1986 | Hughes | D6/491 |
| D310,812 S * | 9/1990 | Bergeron | D12/214 |
| 5,381,749 A * | 1/1995 | Larson | 114/221 R |
| D371,102 S * | 6/1996 | Bak | D12/317 |
| D372,419 S * | 8/1996 | Ikegami | D8/382 |
| D375,843 S * | 11/1996 | Wolfenden | D4/199 |
| D383,378 S * | 9/1997 | Schrader et al. | D8/382 |






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4