

US00D732944S

(12)

United States Design Patent
Johnson et al.

(10)

Patent No.: **US D732,944 S**

(45)

Date of Patent: **** Jun. 30, 2015**

(54)

SECURITY BOLT

(71)

Applicant: **EJ USA, Inc.**, East Jordan, MI (US)

(72)

Inventors: **Jeremy I. Johnson**, East Jordan, MI (US); **Kevin S. Vron dran**, East Jordan, MI (US)

(73)

Assignee: **EJ USA, Inc.**, East Jordan, MI (US)

(**)

Term: **14 Years**

(21)

Appl. No.: **29/446,482**

(22)

Filed: **Feb. 25, 2013**

(51)

LOC (10) Cl. **08-08**

(52)

U.S. Cl.
USPC **D8/387**

(58)

Field of Classification Search
USPC D8/382, 387, 391; 411/337, 403, 411, 411/378, 379
See application file for complete search history.

(56)

References Cited

U.S. PATENT DOCUMENTS

D243,154 S * 1/1977 Dieme D8/387
D286,372 S * 10/1986 Hill D8/387

5,135,272 A * 8/1992 Centofante 292/293
D397,030 S * 8/1998 Lawson D8/387
D456,702 S * 5/2002 Trempala D8/387
D642,901 S * 8/2011 Li D8/387
2009/0116930 A1 * 5/2009 Reimler 411/337
2014/0147226 A1 * 5/2014 Andrade de Souza et al. ... 411/3

* cited by examiner

Primary Examiner — Sheryl Lane

(74) Attorney, Agent, or Firm — Warner Norcross & Judd LLP


(57)

CLAIM
We claim a security bolt, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the security bolt according to one embodiment of the new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a left side view thereof; and,
FIG. 7 is a right side view thereof.
The broken lines represent portions of the security bolt and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7