

US00D732998S

(12) **United States Design Patent**
Rieman

(10) **Patent No.:** **US D732,998 S**

(45) **Date of Patent:** **** Jun. 30, 2015**

(54) **COLD FRAME**

(71) Applicant: **Eric Rieman**, Sandpoint, ID (US)

(72) Inventor: **Eric Rieman**, Sandpoint, ID (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/461,789**

(22) Filed: **Jul. 26, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/395,851, filed on Apr. 12, 2012, now abandoned.

(51) **LOC (10) CI.** **11-02**

(52) **U.S. CI.**

USPC **D11/145**

(58) **Field of Classification Search**

USPC D6/403–405, 556–559, 570;
D11/143–156, 164; D19/77, 80, 81,
D19/84; D25/15, 100, 105, 113; D26/9, 10,
D26/11, 16, 19; D34/1, 2, 4–6; 47/17, 32.4,
47/32.5, 32.7, 33, 39, 41.01, 41.1,
47/41.11–41.15, 44–47, 63, 65.5, 65.9,
47/66.6, 66.7, 67–71

CPC A01G 9/00; A01G 7/06; A01G 13/10;
B60J 1/2011; E04B 2/7422; E04C 3/29

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,954,674 A * 4/1934 Lager 47/17
2,573,084 A 10/1951 Writesei

D165,256 S * 11/1951 Yellin D9/425
4,852,298 A 8/1989 Markos
D335,002 S * 4/1993 Read et al. D30/108
5,261,184 A * 11/1993 Appeldorn et al. 47/17
5,524,383 A * 6/1996 Sanko et al. 47/60
2007/0062105 A1 * 3/2007 Stevens 47/17
2012/0005952 A1 1/2012 Lohse et al.

* cited by examiner

Primary Examiner — Robert M Spear

Assistant Examiner — Marissa J Cash

(74) *Attorney, Agent, or Firm* — Deepak Malhotra; Malhotra Law Firm, PLLC

(57) **CLAIM**

The ornamental design for a cold frame, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a cold frame showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;



FIG. 8 is an isometric view of the cold frame of FIG. 1 with a top lid partially opened;

FIG. 9 is an isometric view of the cold frame of FIG. 1 with a top lid partially opened and a front door opened; and,

FIG. 10 is an isometric view of the cold frame of FIG. 1 with a top lid more fully opened and a front door opened.

The broken lines in the figures illustrate features that form no part of the claimed design for the respective embodiments.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10