

US00D733138S

(12) **United States Design Patent**
Moammer et al.

(10) **Patent No.:** **US D733,138 S**
(45) **Date of Patent:** **** Jun. 30, 2015**

- (54) **DATA RECORDING TERMINAL**
- (75) Inventors: **Patric Moammer**, Hamburg (DE);
Meike Hahr, Hamburg (DE); **Michael Richenberger**, Eckernförde (DE)
- (73) Assignee: **KABA GMBH**, Villingen-Schwenningen (DE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/411,477**
- (22) Filed: **Jan. 20, 2012**
- (30) **Foreign Application Priority Data**

- Aug. 5, 2011 (WO) 618379701
 - (51) **LOC (10) Cl.** **14-01**
 - (52) **U.S. Cl.**
USPC **D14/383**; D14/203.7; D14/496
 - (58) **Field of Classification Search**
USPC D14/137, 138, 154, 158, 160, 163, 167,
D14/168, 171, 203.1–203.8, 217, 341, 346,
D14/356, 358, 388, 389, 390, 399, 401, 432,
D14/435, 474, 480.3, 483, 496, 507;
D10/40; 345/156, 169, 173–179, 905;
715/864; 710/1, 5, 8; 713/1, 600;
369/1, 2, 6–12; 455/95; 463/43–47;
273/148 B
- See application file for complete search history.

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- | | | | | | |
|------------|---|---------|------------------|-------|-----------|
| D469,109 S | * | 1/2003 | Andre et al. | | D14/203.7 |
| D533,565 S | * | 12/2006 | Kim | | D14/203.7 |
| D533,876 S | * | 12/2006 | Kim | | D14/203.7 |
| D547,331 S | * | 7/2007 | Jung et al. | | D14/496 |
| D571,376 S | * | 6/2008 | Kaneko et al. | | D14/496 |
| D571,823 S | * | 6/2008 | Ledbetter et al. | | D14/496 |

- | | | | | | |
|-----------------|---|---------|--------------|-------|-----------|
| D589,955 S | * | 4/2009 | Shi et al. | | D14/346 |
| D589,979 S | * | 4/2009 | Andre et al. | | D14/496 |
| D601,123 S | * | 9/2009 | Andre et al. | | D14/203.7 |
| D601,558 S | * | 10/2009 | Andre et al. | | D14/341 |
| D601,583 S | * | 10/2009 | Andre et al. | | D14/496 |
| D626,936 S | * | 11/2010 | Yeo et al. | | D14/203.7 |
| D626,937 S | * | 11/2010 | Yeo et al. | | D14/203.7 |
| D627,332 S | * | 11/2010 | Zha | | D14/203.7 |
| D650,354 S | * | 12/2011 | Andre et al. | | D14/203.7 |
| D659,114 S | * | 5/2012 | Rayn | | D14/203.7 |
| D662,488 S | * | 6/2012 | Yeo | | D14/203.7 |
| 8,259,077 B2 | * | 9/2012 | Shin et al. | | 345/173 |
| 8,723,824 B2 | * | 5/2014 | Myers et al. | | 345/173 |
| 2010/0110043 A1 | * | 5/2010 | Lu | | 345/179 |
| 2013/0187881 A1 | * | 7/2013 | Koga et al. | | 345/173 |
| 2013/0222339 A1 | * | 8/2013 | Koga | | 345/174 |
| 2013/0257773 A1 | * | 10/2013 | Shih et al. | | 345/173 |
| 2013/0314355 A1 | * | 11/2013 | Inata et al. | | 345/173 |

* cited by examiner

Primary Examiner — Caron D Veynar
Assistant Examiner — Holly E Thurman
 (74) *Attorney, Agent, or Firm* — Fleit Gibbons Gutman Bongini & Bianco PL; Martin Fleit; Paul D. Bianco

(57) **CLAIM**
 The ornamental design for a data recording terminal, as shown and described.

DESCRIPTION

FIG. 1 is a reduced scale front view of the data recording terminal showing our new invention.
 FIG. 2 is a side view thereof, the other side view being identical.
 FIG. 3 is a rear view thereof.
 FIG. 4 is a top view thereof, the bottom view being identical.
 FIG. 5 is a reduced scale first perspective view thereof; and, FIG. 6 is a second perspective view thereof.
 The broken line portion of the figure drawings depicts unclaimed subject matter only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 3




FIG. 5



FIG. 6




FIG. 7




FIG. 8