



US00D733150S

(12) **United States Design Patent**
Sirichai

(10) **Patent No.:** **US D733,150 S**
(45) **Date of Patent:** **** Jun. 30, 2015**

(54) **REVERSIBLE CASE FOR MOBILE COMMUNICATIONS DEVICE WITH ROTATABLE DEVICE-HOLDING CRADLE**

(71) Applicant: **Saharut Sirichai**, Bangkok (TH)

(72) Inventor: **Saharut Sirichai**, Bangkok (TH)

(73) Assignee: **World Richman Manufacturing Corporation**, Elgin, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/485,790**

(22) Filed: **Mar. 22, 2014**

(51) **LOC (10) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/440**

(58) **Field of Classification Search**


USPC D14/250, 251, 253, 240, 217, 496, 440,
D14/203.3, 203.4, 203.5, 203.8, 341, 318;
D3/218, 215, 201, 294, 289, 900;
220/4.02; 248/309.1; 361/679.56;
379/426, 433.11, 455; 455/575.1,
455/575.8, 457.1; 190/100; 206/305, 320,
206/45.2; D21/469; 312/240
CPC ... G06F 1/1601; G06F 1/1626; G06F 1/1633;
G06F 1/1675; G06F 1/1679; G02F 1/1306;
G02F 1/133; G02F 1/133308; G02F 1/153;
G02F 1/1533; G02F 2001/133317; H04M
1/185; H04M 1/0252; H04B 1/3888
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,613,536 A * 1/1927 Rose 132/315
D230,376 S * 2/1974 Andrew D19/91
4,259,568 A * 3/1981 Dynesen 235/1 D
6,772,879 B1 * 8/2004 Domotor 206/45.23
7,281,698 B2 * 10/2007 Patterson, Jr. 248/458
7,414,833 B2 * 8/2008 Kittayapong 361/679.27
7,735,644 B2 * 6/2010 Sirichai et al. 206/320
D658,187 S * 4/2012 Diebel D14/440

D658,188 S * 4/2012 Diebel D14/440
D663,304 S * 7/2012 Akana et al. D14/440
8,230,992 B2 * 7/2012 Law et al. 206/320
8,245,843 B1 * 8/2012 Wu 206/320
8,312,991 B2 * 11/2012 Diebel et al. 206/45.24
D671,948 S * 12/2012 Akana et al. D14/440
D672,353 S * 12/2012 Liu D14/440
D672,781 S * 12/2012 Lu D14/440
D675,625 S * 2/2013 Hasbrook et al. D14/440
D678,260 S * 3/2013 Bau D14/250
D679,279 S * 4/2013 Yang et al. D14/440
D679,715 S * 4/2013 Akana et al. D14/440
8,424,830 B2 * 4/2013 Yang et al. 248/459
D681,641 S * 5/2013 Van Den Nieuwenhuizen
et al. D14/440
D682,836 S * 5/2013 Akana et al. D14/440
D682,838 S * 5/2013 Akana et al. D14/440
D683,141 S * 5/2013 Symons D6/310
D687,438 S * 8/2013 Lu D14/440
D690,305 S * 9/2013 Wen D14/440
D690,702 S * 10/2013 Chung D14/440
D691,142 S * 10/2013 Diebel D14/440
D692,434 S * 10/2013 Kim D14/440
D693,823 S * 11/2013 Chen et al. D14/440
D695,296 S * 12/2013 Hsu D14/440
D696,253 S * 12/2013 Akana et al. D14/345
D696,256 S * 12/2013 Piedra et al. D14/440
D696,669 S * 12/2013 Akana et al. D14/440
8,640,864 B2 * 2/2014 Chen et al. 206/45.2
8,644,893 B2 * 2/2014 Liang 455/575.1
8,657,112 B2 * 2/2014 Igarashi 206/320
D701,205 S * 3/2014 Akana et al. D14/345
D702,673 S * 4/2014 Murchison et al. D14/250
D704,689 S * 5/2014 Chang D14/250
D704,693 S * 5/2014 Kim D14/250
D706,270 S * 6/2014 Akana et al. D14/440
D706,783 S * 6/2014 Almodova D14/440
D707,229 S * 6/2014 Almodova D14/440
8,757,375 B2 * 6/2014 Huang 206/320
D708,838 S * 7/2014 Lee D3/201
8,763,795 B1 * 7/2014 Oten et al. 206/45.23
8,766,921 B2 * 7/2014 Ballagas et al. 345/168
8,773,353 B2 * 7/2014 Wei 345/156
8,783,458 B2 * 7/2014 Gallagher et al. 206/320
D710,859 S * 8/2014 Mecchella et al. D14/440
8,797,132 B2 * 8/2014 Childs et al. 335/219
2003/0034263 A1 * 2/2003 D'Hoste 206/320
2008/0302687 A1 * 12/2008 Sirichai et al. 206/320
2009/0159763 A1 * 6/2009 Kim 248/174
2011/0266194 A1 * 11/2011 Bau 206/736
2011/0290687 A1 * 12/2011 Han 206/320
2012/0211377 A1 * 8/2012 Sajid 206/216
2012/0211613 A1 * 8/2012 Yang et al. 248/174



| | | | | |
|--------------|------|---------|---------------------|-----------|
| 2012/0305413 | A1 * | 12/2012 | Chung | 206/45.23 |
| 2012/0308981 | A1 * | 12/2012 | Libin et al. | 434/362 |
| 2013/0015088 | A1 * | 1/2013 | Wu | 206/320 |
| 2013/0020216 | A1 * | 1/2013 | Chiou | 206/320 |
| 2013/0140203 | A1 * | 6/2013 | Chiang | 206/320 |
| 2013/0213838 | A1 * | 8/2013 | Tsai et al. | 206/320 |
| 2013/0214661 | A1 * | 8/2013 | McBroom | 312/325 |
| 2013/0241381 | A1 * | 9/2013 | Hynecek et al. | 312/240 |
| 2013/0264459 | A1 * | 10/2013 | McCosh et al. | 248/688 |

* cited by examiner

Primary Examiner — Cynthia Underwood

(57) **CLAIM**

The ornamental design for the reversible case for a mobile communications device with rotatable device-holding cradle, as shown and described.

DESCRIPTION

FIG. 1 is a first frontal perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing a cradle-covering portion in a first open position to show first coloration of a first side of the cradle-covering portion.

FIG. 2 is a second frontal perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a second open position to show second coloration of a second side of the cradle-covering portion.

FIG. 3 is a third frontal perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in black and white lines and showing the cradle-covering portion in the second open position in solid lines and the cradle-covering portion in a series of intermediary open positions between the second open position and the first open position in broken lines.

FIG. 4 is a first rear perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing a cradle-covering portion in the first open position to show second coloration of the second side of the cradle-covering portion.

FIG. 5 is a second rear perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a second open position to show first coloration of the first side of the cradle-covering portion.

FIG. 6 is a first frontal plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first open position to show first coloration of the first side of the cradle-covering portion.

FIG. 7 is a first rear plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first open position to show second coloration of the second side of the cradle-covering portion.

FIG. 8 is a first end view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration.

FIG. 9 is a second end view opposite the first end view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration.

FIG. 10 is a first lateral edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second open position.

FIG. 11 is an enlarged fragmentary sectional view as sectioned from FIG. 10 to show in greater clarity the first coloration of the first side of the cradle-covering portion opposite the second coloration of the second side of the cradle-covering portion.

FIG. 12 is a third lateral edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in black and white lines and showing the cradle-covering portion in the second open position in solid lines and the cradle-covering portion in a series of intermediary open positions between the second open position and the first open position in broken lines.

FIG. 13 is a second frontal plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second open position to show second coloration of the second side of the cradle-covering portion.

FIG. 14 is a second rear plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second open position to show first coloration of the first side of the cradle-covering portion.

FIG. 15 is a first bottom plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a first closed position.

FIG. 16 is a first top plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first closed position to show second coloration of the second side of the cradle-covering portion.

FIG. 17 is a second bottom plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a second closed position.

FIG. 18 is a second top plan view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second closed position to show first coloration of the first side of the cradle-covering portion.

FIG. 19 is a first end view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 20 is a rear edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 21 is a front edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 22 is a second end view opposite the first end view of the reversible case for a mobile communications device with

rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 23 is a first end view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second closed position.

FIG. 24 is a rear edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second closed position.

FIG. 25 is a front edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second closed position.

FIG. 26 is a second end view opposite the first end view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second closed position.

FIG. 27 is a first frontal elevational view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a first condition of use.

FIG. 28 is a second frontal elevational view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a second condition of use.

FIG. 29 is a first frontal perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first condition of use.

FIG. 30 is a second frontal perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second condition of use.

FIG. 31 is a first rear perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the second condition of use.

FIG. 32 is a second rear perspective view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in the first condition of use; and,

FIG. 33 is a lateral edge view of the reversible case for a mobile communications device with rotatable device-holding cradle presented in grayscale coloration and showing the cradle-covering portion in a condition of use.

All broken lines are included for the purpose of illustrating intermediary positions of the cradle-covering portion of the reversible case for a mobile communications device with rotatable device-holding cradle and form no part of the claimed design.

1 Claim, 32 Drawing Sheets




FIG.1





FIG.2






FIG.4




FIG.5




FIG. 6




FIG.7




FIG. 8





FIG. 9






FIG.12




FIG.13




FIG.14




FIG.15



FIG. 16




FIG.17




FIG. 18




FIG. 19




FIG.20




FIG. 21



FIG.22




FIG. 23




FIG.24




FIG.25




FIG. 26




FIG.27




FIG. 28




FIG. 29




FIG.30




FIG.31




FIG.32




FIG.33