



US00D733152S

(12) **United States Design Patent**  
**Sirichai**

(10) **Patent No.:** **US D733,152 S**  
(45) **Date of Patent:** **\*\* Jun. 30, 2015**

(54) **REVERSIBLE CASE FOR MOBILE COMMUNICATIONS DEVICE**

(71) Applicant: **Saharut Sirichai**, Bangkok (TH)

(72) Inventor: **Saharut Sirichai**, Bangkok (TH)

(73) Assignee: **World Richman Manufacturing Corporation**, Elgin, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/485,895**

(22) Filed: **Mar. 24, 2014**

(51) **LOC (10) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/440**

(58) **Field of Classification Search**


USPC ..... D14/250, 251, 253, 240, 217, 496, 440,  
D14/203.3, 203.4, 203.5, 203.8, 341, 318;  
D3/218, 215, 201, 294, 289, 900;  
220/4.02; 248/309.1; 361/679.56;  
379/426, 433.11, 455; 455/575.1,  
455/575.8, 457.1; 190/100; 206/305, 320,  
206/45.2; D21/469; 312/240  
CPC ... G06F 1/1601; G06F 1/1626; G06F 1/1633;  
G06F 1/1675; G06F 1/1679; G02F 1/1306;  
G02F 1/133; G02F 1/133308; G02F 1/153;  
G02F 1/1533; G02F 2001/133317; H04M  
1/185; H04M 1/0252; H04B 1/3888  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,613,536 A \* 1/1927 Rose ..... 132/315  
D230,376 S \* 2/1974 Andrew ..... D19/91  
4,259,568 A \* 3/1981 Dynesen ..... 235/1 D  
6,772,879 B1 \* 8/2004 Domotor ..... 206/45.23  
7,281,698 B2 \* 10/2007 Patterson, Jr. .... 248/458  
7,414,833 B2 \* 8/2008 Kittayapong ..... 361/679.27  
7,735,644 B2 \* 6/2010 Sirichai et al. .... 206/320  
D658,187 S \* 4/2012 Diebel ..... D14/440  
D658,188 S \* 4/2012 Diebel ..... D14/440

D663,304 S \* 7/2012 Akana et al. .... D14/440  
8,230,992 B2 \* 7/2012 Law et al. .... 206/320  
8,245,843 B1 \* 8/2012 Wu ..... 206/320  
8,312,991 B2 \* 11/2012 Diebel et al. .... 206/45.24  
D671,948 S \* 12/2012 Akana et al. .... D14/440  
D672,353 S \* 12/2012 Liu ..... D14/440  
D672,781 S \* 12/2012 Lu ..... D14/440  
D675,625 S \* 2/2013 Hasbrook et al. .... D14/440  
D678,260 S \* 3/2013 Bau ..... D14/250  
D679,279 S \* 4/2013 Yang et al. .... D14/440  
D679,715 S \* 4/2013 Akana et al. .... D14/440  
8,424,830 B2 \* 4/2013 Yang et al. .... 248/459  
D681,641 S \* 5/2013 Van Den Nieuwenhuizen  
et al. .... D14/440  
D682,836 S \* 5/2013 Akana et al. .... D14/440  
D682,838 S \* 5/2013 Akana et al. .... D14/440  
D683,141 S \* 5/2013 Symons ..... D6/310  
D687,438 S \* 8/2013 Lu ..... D14/440  
D690,305 S \* 9/2013 Wen ..... D14/440  
D690,702 S \* 10/2013 Chung ..... D14/440  
D691,142 S \* 10/2013 Diebel ..... D14/440  
D692,434 S \* 10/2013 Kim ..... D14/440  
D693,823 S \* 11/2013 Chen et al. .... D14/440  
D695,296 S \* 12/2013 Hsu ..... D14/440  
D696,253 S \* 12/2013 Akana et al. .... D14/345  
D696,256 S \* 12/2013 Piedra et al. .... D14/440  
D696,669 S \* 12/2013 Akana et al. .... D14/440  
8,640,864 B2 \* 2/2014 Chen et al. .... 206/45.2  
8,644,893 B2 \* 2/2014 Liang ..... 455/575.1  
8,657,112 B2 \* 2/2014 Igarashi ..... 206/320  
D701,205 S \* 3/2014 Akana et al. .... D14/345  
D702,673 S \* 4/2014 Murchison et al. .... D14/250  
D704,689 S \* 5/2014 Chang ..... D14/250  
D704,693 S \* 5/2014 Kim ..... D14/250  
D706,270 S \* 6/2014 Akana et al. .... D14/440  
D706,783 S \* 6/2014 Almodova ..... D14/440  
D707,229 S \* 6/2014 Almodova ..... D14/440  
8,757,375 B2 \* 6/2014 Huang ..... 206/320  
D708,838 S \* 7/2014 Lee ..... D3/201  
8,763,795 B1 \* 7/2014 Oten et al. .... 206/45.23  
8,766,921 B2 \* 7/2014 Ballagas et al. .... 345/168  
8,773,353 B2 \* 7/2014 Wei ..... 345/156  
8,783,458 B2 \* 7/2014 Gallagher et al. .... 206/320  
D710,859 S \* 8/2014 Mecchella et al. .... D14/440  
8,797,132 B2 \* 8/2014 Childs et al. .... 335/219  
2003/0034263 A1 \* 2/2003 D'Hoste ..... 206/320  
2008/0302687 A1 \* 12/2008 Sirichai et al. .... 206/320  
2009/0159763 A1 \* 6/2009 Kim ..... 248/174  
2011/0266194 A1 \* 11/2011 Bau ..... 206/736  
2011/0290687 A1 \* 12/2011 Han ..... 206/320  
2012/0211377 A1 \* 8/2012 Sajid ..... 206/216  
2012/0211613 A1 \* 8/2012 Yang et al. .... 248/174  
2012/0305413 A1 \* 12/2012 Chung ..... 206/45.23





2012/0308981	A1 *	12/2012	Libin et al. ....	434/362
2013/0015088	A1 *	1/2013	Wu .....	206/320
2013/0020216	A1 *	1/2013	Chiou .....	206/320
2013/0140203	A1 *	6/2013	Chiang .....	206/320
2013/0213838	A1 *	8/2013	Tsai et al. ....	206/320
2013/0214661	A1 *	8/2013	McBroom .....	312/325
2013/0241381	A1 *	9/2013	Hynecek et al. ....	312/240
2013/0264459	A1 *	10/2013	McCosh et al. ....	248/688

\* cited by examiner

*Primary Examiner* — Cynthia Underwood

(57) **CLAIM**

The ornamental design for the reversible case for a mobile communications device, as shown and described.

**DESCRIPTION**

FIG. 1 is a first frontal perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing a cradle-covering portion in a first open position to show first coloration of a first side of the cradle-covering portion.

FIG. 2 is a second frontal perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in a second open position to show second coloration of a second side of the cradle-covering portion.

FIG. 3 is a first lateral edge view of the reversible case for a mobile communications device presented in black and white lines and showing the cradle-covering portion in the second open position in solid lines and the cradle-covering portion in a series of intermediary open positions between the second open position and the first open position in broken lines.

FIG. 4 is a third frontal perspective view of the reversible case for a mobile communications device presented in black and white lines and showing the cradle-covering portion in the second open position in solid lines and the cradle-covering portion in a series of intermediary open positions between the second open position and the first open position in broken lines.

FIG. 5 is a first rear perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing a cradle-covering portion in the first open position to show second coloration of the second side of the cradle-covering portion.

FIG. 6 is a second rear perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in a second open position to show first coloration of the first side of the cradle-covering portion.

FIG. 7 is a first frontal plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first open position to show first coloration of the first side of the cradle-covering portion.

FIG. 8 is a first rear plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first open position to show second coloration of the second side of the cradle-covering portion.

FIG. 9 is a second rear plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the second open position to show first coloration of the first side of the cradle-covering portion.

FIG. 10 is a second frontal plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the second open position to show second coloration of the second side of the cradle-covering portion.

FIG. 11 is a first lateral edge view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first open position.

FIG. 12 is an enlarged fragmentary sectional view as sectioned from FIG. 10 to show in greater clarity the first coloration of the first side of the cradle-covering portion opposite the second coloration of the second side of the cradle-covering portion.

FIG. 13 is a first top plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in a first closed position to show first coloration of the first side of the cradle-covering portion.

FIG. 14 is a first bottom plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position to show first coloration of the first side of the cradle-covering portion.

FIG. 15 is a first bottom perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position to show first coloration of the first side of the cradle-covering portion.

FIG. 16 is a first top perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position to show first coloration of the first side of the cradle-covering portion.

FIG. 17 is a first end view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 18 is a rear edge view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 19 is a front edge view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 20 is a second end view opposite the first end view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first closed position.

FIG. 21 is a frontal perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in a first condition of use.

FIG. 22 is a frontal elevational view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first condition of use.

FIG. 23 is a lateral edge view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in a condition of use.

FIG. 24 is a rear perspective view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first condition of use.

FIG. 25 is a first rear elevational view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first condition of use.

FIG. 26 is a top plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first condition of use; and,

FIG. 27 is a bottom plan view of the reversible case for a mobile communications device presented in grayscale coloration and showing the cradle-covering portion in the first condition of use.

The broken lines are included for the purpose of illustrating intermediary positions of the cradle-covering portion of the reversible case for a mobile communications device and form no part of the claimed design. The part of the photograph shown in a coarse dot pattern, along with the broken-line perimeter illustrates portions that forms no part of the claimed design.

**1 Claim, 26 Drawing Sheets**






FIG. 1






FIG.2






FIG.3






FIG.4






FIG. 5






FIG.6






FIG. 7






FIG.8






FIG.9






FIG.10











FIG.13





FIG.14






FIG.15






FIG.16







FIG. 17





**FIG.18**






FIG.19






FIG. 20





FIG.21






FIG. 22






FIG.23






FIG.24






FIG. 25






FIG.26





FIG. 27