

US00D733275S

(12) **United States Design Patent**
Cao et al.

(10) **Patent No.:** **US D733,275 S**

(45) **Date of Patent:** **** Jun. 30, 2015**

(54) **DISPENSING DEVICE**

(75) Inventors: **Hai Yan Cao**, Shanghai (CN); **Amos Chen**, Pudong District (CN); **Shumao Han**, Shanghai (CN); **Joanna Jia**, PuDong (CN); **Salvador Munoz**, Grayslake, IL (US); **Deliang Shi**, Kenosha, WI (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/427,986**

(22) Filed: **Jul. 24, 2012**

(51) **LOC (10) Cl.** **23-04**

(52) **U.S. Cl.**
USPC **D23/355**

(58) **Field of Classification Search**
USPC D23/355, 359, 360, 364, 365, 386, 392, D23/393, 401; D6/663, 667, 675; D5/1-3
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D194,410	S	*	1/1963	Bishop	D23/388
3,116,077	A		12/1963	Bird		
3,366,775	A	*	1/1968	Mycue	392/386
D212,420	S	*	10/1968	Wilson	D23/368
D229,939	S	*	1/1974	Curran	D23/368
4,228,614	A		10/1980	Cardarelli		
D268,695	S	*	4/1983	Kolf	D22/125
4,484,768	A		11/1984	Norfleet		
4,802,626	A		2/1989	Forbes et al.		
D366,933	S	*	2/1996	Dancs	D23/366
D373,625	S	*	9/1996	Pereira	D23/364
D389,565	S	*	1/1998	Scheuer et al.	D23/368
D392,030	S	*	3/1998	Nystrom	D23/355
D392,733	S	*	3/1998	Gatzemeyer et al.	D23/366
D399,297	S	*	10/1998	Nystrom	D23/355
D399,940	S	*	10/1998	Nystrom	D23/355
D399,941	S	*	10/1998	Nystrom	D23/355
D400,972	S	*	11/1998	Nystrom	D23/355
D432,639	S	*	10/2000	Durian et al.	D23/387

D450,112	S	*	11/2001	Longley	D23/368
6,327,813	B1		12/2001	Ishiwatari		
6,360,477	B1		3/2002	Flashinski et al.		
6,534,079	B1		3/2003	Munagavalasa		
6,599,525	B2		7/2003	Scamilla Aledo et al.		
6,755,453	B2		6/2004	Kellas		
6,976,729	B2		12/2005	Kellas		
7,017,829	B2		3/2006	Martens, III et al.		
7,051,949	B2		5/2006	Aiyama		
7,398,013	B2		7/2008	He et al.		
7,581,558	B2		9/2009	Martin et al.		
7,887,759	B2		2/2011	Triplett		
8,093,444	B2		1/2012	Flick		
2003/0168520	A1		9/2003	Triplett et al.		
2003/0199421	A1		10/2003	Copfer		
2008/0265053	A1		10/2008	Guzman		
2010/0236709	A1		9/2010	Mutch		

FOREIGN PATENT DOCUMENTS

EP	1526770	B1	9/2006
GB	2417902	A	3/2006
WO	2006134353	A1	12/2006

* cited by examiner

Primary Examiner — Sandra Snapp

(57) **CLAIM**

The ornamental design for a dispensing device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a top, front, and left side of an ornamental design for a dispensing device;
FIG. 2 is a front elevational view of the dispensing device of FIG. 1;
FIG. 3 is a rear elevational view of the dispensing device of FIG. 1;
FIG. 4 is a left side elevational view of the dispensing device of FIG. 1;
FIG. 5 is a right side elevational view of the dispensing device of FIG. 1;
FIG. 6 is a top plan view of the dispensing device of FIG. 1;
FIG. 7 is a bottom plan view of the dispensing device of FIG. 1;




FIG. 8 is an isometric view of a top, rear, and right side of the dispensing device of FIG. 1;

FIG. 9 is an isometric view of a top, front, and left side of another ornamental design for a dispensing device;

FIG. 10 is a front elevational view of the dispensing device of FIG. 9;

FIG. 11 is a rear elevational view of the dispensing device of FIG. 9;

FIG. 12 is a left side elevational view of the dispensing device of FIG. 9;

FIG. 13 is a right side elevational view of the dispensing device of FIG. 9;

FIG. 14 is a top plan view of the dispensing device of FIG. 9;

FIG. 15 is a bottom plan view of the dispensing device of FIG. 9;

FIG. 16 is an isometric view of a top, rear, and right side of the dispensing device of FIG. 9;

FIG. 17 is an isometric view of a top, front, and left side of a different ornamental design for a dispensing device;

FIG. 18 is a front elevational view of the dispensing device of FIG. 17;

FIG. 19 is a rear elevational view of the dispensing device of FIG. 17;

FIG. 20 is a left side elevational view of the dispensing device of FIG. 17;

FIG. 21 is a right side elevational view of the dispensing device of FIG. 17;

FIG. 22 is a top plan view of the dispensing device of FIG. 17;

FIG. 23 is a bottom plan view of the dispensing device of FIG. 17;

FIG. 24 is an isometric view of a top, rear, and right side of the dispensing device of FIG. 17; and,

FIG. 25 is an isometric view of a top and side of the dispensing device of FIG. 17 in a different position.

The dash-dash-dash-dash broken lines are for the purpose of illustrating environmental structure and form no part of the claimed design. The cross hatching shown in FIGS. 1-8 illustrate at least a portion of a surface having a webbed pattern. The cross-hatching shown in FIGS. 9-16 is used to illustrate a surface having a material that contrasts with a material of an adjacent surface that does not include cross-hatching.

1 Claim, 16 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25