



US00D733347S

(12) **United States Design Patent**  
**Dungan et al.**

(10) **Patent No.:** **US D733,347 S**  
(45) **Date of Patent:** **\*\* Jun. 30, 2015**

(54) **LINEAR INDIRECT ASYMMETRIC LIGHT  
FIXTURE**

7,213,940 B1 5/2007 Lu et al.  
D603,078 S \* 10/2009 Noh ..... D26/76  
D606,229 S \* 12/2009 Johansen et al. .... D26/80

(71) Applicant: **CREE, INC.**, Durham, NC (US)

(Continued)

(72) Inventors: **William Laird Dungan**, Cary, NC (US);  
**Nathan Snell**, Raleigh, NC (US); **James  
Michael Lay**, Apex, NC (US); **Jennifer  
West**, Cary, NC (US); **Peter Lopez**,  
Cary, NC (US); **S. Scott Pratt**, Cary, NC  
(US)

**OTHER PUBLICATIONS**

U.S. Appl. No. 13/649,052, filed Oct. 10, 2012, Lowes, et al. U.S.  
Appl. No. 13/649,067, filed Oct. 10, 2012, Lowes, et al.  
U.S. Appl. No. 13/770,389, filed Feb. 19, 2013, Lowes, et al.  
U.S. Appl. No. 13/782,820, filed Mar. 1, 2013, Dixon, et al.

(Continued)

(73) Assignee: **Cree, Inc.**, Durham, NC (US)

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — Natasha Vujcic

(\*\*) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Koppel, Patrick, Heybl &  
Philpott

(21) Appl. No.: **29/449,309**

(57) **CLAIM**

The ornamental design for a linear indirect asymmetric light  
fixture, as shown and described herein.

(22) Filed: **Mar. 14, 2013**

**DESCRIPTION**

(51) **LOC (10) Cl.** ..... **26-03**

(52) **U.S. Cl.**  
USPC ..... **D26/76**

(58) **Field of Classification Search**  
USPC ..... D26/3, 24, 35, 39, 42, 71, 72, 75, 76,  
D26/78, 79, 80, 81, 82, 83, 85, 88, 90, 118,  
D26/119, 120, 121, 122, 138; 362/23.07,  
362/23.09, 23.16, 217.01, 217.02, 217.05,  
362/217.08, 217.09, 249.02, 260, 311.02,  
362/555, 612, 614, 800

See application file for complete search history.


FIG. 1 is a front perspective view of a lighting fixture accord-  
ing to an embodiment of the present invention.  
FIG. 2 is a right end elevation view of a lighting fixture  
according to an embodiment of the present invention, with the  
left end of the lighting fixture being a mirror image.  
FIG. 3 is a front elevation view of a lighting fixture according  
to an embodiment of the present invention.  
FIG. 4 is a top elevation view of a lighting fixture according to  
an embodiment of the present invention with the opposite side  
being a mirror image.  
FIG. 5 is a bottom elevation view of a lighting fixture accord-  
ing to an embodiment of the present invention.  
FIG. 6 is a rear elevation view of a lighting fixture according  
to an embodiment of the present invention; and,  
FIG. 7 is a perspective view of a lighting fixture according to  
an embodiment of the present invention.  
Elements of the fixtures in FIGS. 1-7 are in broken lines to  
illustrate portions of the linear indirect asymmetric light fixture  
that form no part of the claimed design.  
The break lines in FIG. 7 indicate that the appearance of any  
portion of the liner indirect asymmetric light fixture between  
the break lines forms no part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D123,761 S \* 12/1940 Pieper ..... D26/24  
D168,943 S \* 3/1953 Levaur ..... D26/78  
D344,605 S \* 2/1994 Aspenwall ..... D26/76  
D345,316 S \* 3/1994 Green et al. .... D26/35  
5,823,663 A 10/1998 Bell et al.  
6,210,025 B1 4/2001 Schmidt et al.  
D473,328 S \* 4/2003 Chelf ..... D26/3  
D476,753 S \* 7/2003 Chelf et al. .... D26/3

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D607,599	S *	1/2010	Zhou et al. ....	D26/80
7,722,220	B2	5/2010	Van de Ven et al.	
D617,487	S *	6/2010	Fowler et al. ....	D26/76
D633,640	S *	3/2011	Wauters .....	D26/85
D669,204	S *	10/2012	Snell et al. ....	D26/76
D671,254	S *	11/2012	Miyatake et al. ....	D26/75
D675,365	S *	1/2013	Beghelli .....	D26/78
D679,440	S *	4/2013	Smith .....	D26/80
D695,443	S *	12/2013	Kaule et al. ....	D26/76
2006/0146531	A1 *	7/2006	Reo et al. ....	362/249
2013/0021792	A1 *	1/2013	Snell et al. ....	362/218

OTHER PUBLICATIONS

U.S. Appl. No. 12/873,303, filed Aug. 31, 2010, Edmond, et al.  
 U.S. Appl. No. 13/345,215, filed Jan. 6, 2012, Lu, et al.  
 U.S. Appl. No. 13/442,311, filed Apr. 9, 2012, Lu, et al.  
 U.S. Appl. No. 12/463,709, filed May 11, 2009, Donofrio, et al.  
 U.S. Appl. No. 11/656,759, filed Jan. 22, 2007, Chitnis, et al.  
 U.S. Appl. No. 11/899,790, filed Sep. 7, 2007, Chitnis, et al.  
 Circalok™ Conductive adhesive, 6972 and 6968, by Lord Corporation, 2 pages.  
 WhiteOpticstm White97 Film, Reflector Film Technical Data Sheet, WhiteOptics, LLC, New Castle, DE.  
 Office Action from U.S. Appl. No. 29/448,318, dated Jun. 27, 2014.

\* cited by examiner




FIG. 1

FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7