



US00D733387S

(12) **United States Design Patent**
Sopuch

(10) **Patent No.:** **US D733,387 S**
(45) **Date of Patent:** **** Jun. 30, 2015**

- (54) **WHEELED ARMORED STRUCTURE**
- (71) Applicant: **Michael Dominic Sopuch**, Missoula, MT (US)
- (72) Inventor: **Michael Dominic Sopuch**, Missoula, MT (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/442,901**
- (22) Filed: **Jun. 10, 2013**
- (51) **LOC (10) Cl.** **12-02**
- (52) **U.S. Cl.**
USPC **D34/26**
- (58) **Field of Classification Search**
USPC D34/12-27; 280/30, 5.32, 651, 47.35, 280/79.11, 79.3, 47.26, 79.2, 47.371; 312/249.12, 109, 237; 211/204, 211/126.15; 320/114; 15/315; 318/280, 139
CPC B62B 1/12; B62B 1/002; B62B 2501/067; B62B 3/027; B62B 1/14; B62B 2203/70; B62B 5/0438; B62B 5/067; B62B 2203/10
See application file for complete search history.

| | | | | | | |
|--------------|----|---|---------|------------------|-------|-----------|
| D453,602 | S | * | 2/2002 | Chang | | D34/24 |
| D453,982 | S | * | 2/2002 | Levy et al. | | D34/24 |
| D454,675 | S | * | 3/2002 | Levy et al. | | D34/24 |
| D454,997 | S | * | 3/2002 | Matre et al. | | D34/27 |
| D466,267 | S | * | 11/2002 | Lee | | D34/24 |
| D473,990 | S | * | 4/2003 | Hittle | | D34/18 |
| D475,167 | S | * | 5/2003 | Hailston | | D34/27 |
| D479,761 | S | * | 9/2003 | Tsai | | D34/24 |
| D482,170 | S | * | 11/2003 | Yang | | D34/15 |
| 6,921,095 | B2 | * | 7/2005 | Middleby | | 280/47.29 |
| 6,945,545 | B2 | * | 9/2005 | Celli | | 280/47.18 |
| D522,708 | S | * | 6/2006 | Chang | | D34/24 |
| D531,376 | S | * | 10/2006 | Tetradis | | D34/24 |
| D546,524 | S | * | 7/2007 | Chambers | | D34/27 |
| D567,469 | S | * | 4/2008 | Koc | | D34/24 |
| D593,272 | S | * | 5/2009 | Hailston | | D34/27 |
| D593,273 | S | * | 5/2009 | Hailston | | D34/27 |
| D635,320 | S | * | 3/2011 | Paoletto | | D34/26 |
| D664,733 | S | * | 7/2012 | Yang | | D34/24 |
| D683,923 | S | * | 6/2013 | Henley et al. | | D34/26 |
| D709,664 | S | * | 7/2014 | Plummer | | D34/26 |
| D713,113 | S | * | 9/2014 | Hsieh et al. | | D34/27 |
| D715,511 | S | * | 10/2014 | Okwumabua | | D34/5 |
| 2002/0180184 | A1 | * | 12/2002 | Chang | | 280/652 |
| 2003/0075887 | A1 | * | 4/2003 | Malone, Jr. | | 280/30 |
| 2004/0201186 | A1 | * | 10/2004 | Tornabene et al. | | 280/30 |
| 2013/0118818 | A1 | * | 5/2013 | Smith | | 180/19.1 |

* cited by examiner

Primary Examiner — Cynthia Ramirez

Assistant Examiner — Gino Colan

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|---------------|-------|-----------|
| D174,307 | S | * | 3/1955 | Anderson | | D34/26 |
| 4,106,590 | A | * | 8/1978 | Tarran | | 182/20 |
| 4,235,449 | A | * | 11/1980 | Tarran | | 280/30 |
| 4,253,546 | A | * | 3/1981 | Uchida | | 182/20 |
| 4,756,540 | A | * | 7/1988 | Crawford | | 280/47.21 |
| D335,738 | S | * | 5/1993 | Tsai | | D34/26 |
| D336,710 | S | * | 6/1993 | Kinnaman | | D34/26 |
| D352,147 | S | * | 11/1994 | Dyment et al. | | D34/24 |
| D364,022 | S | * | 11/1995 | Kazmark, Jr. | | D34/26 |
| 5,464,234 | A | * | 11/1995 | Ferguson | | 280/5.32 |
| D396,924 | S | * | 8/1998 | Cardenas | | D34/24 |
| D411,679 | S | * | 6/1999 | Hsieh et al. | | D34/24 |
| D420,481 | S | * | 2/2000 | Yates | | D34/24 |
| D421,326 | S | * | 2/2000 | Lewis | | D34/24 |


(57) **CLAIM**

The design for a wheeled armored structure, as shown and described.

DESCRIPTION

FIG. 1 is a right side elevation view of the wheeled armored structure, the left side view being a mirror image thereof. FIG. 2 is a rear elevation view of the wheeled armored structure; and, FIG. 3 is a front elevation view of the wheeled armored structure.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3