



US00D733395S

(12) **United States Design Patent**
Valencia

(10) **Patent No.:** **US D733,395 S**
(45) **Date of Patent:** **** Jul. 7, 2015**

- (54) **WOMAN'S BRASSIERE**
- (71) Applicant: **Fresh Comfort, Inc.**, Frisco, TX (US)
- (72) Inventor: **Maria E. Valencia**, Frisco, TX (US)
- (73) Assignee: **Fresh Comfort, Inc.**, Frisco, TX (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/455,857**
- (22) Filed: **May 24, 2013**
- (51) **LOC (10) Cl.** **02-01**
- (52) **U.S. Cl.**
USPC **D2/709**
- (58) **Field of Classification Search**
USPC D2/700, 706-711, 731, 737, 796;
2/67-69, 86, 88, 109, 112, 113; 450/1,
450/5, 13-18, 23, 36, 39, 54, 58, 59, 68, 71,
450/77, 79, 82, 85, 92; 128/890
See application file for complete search history.

- 2013/0066288 A1* 3/2013 Lin 604/360
- 2013/0171911 A1* 7/2013 Swendseid et al. 450/85
- 2014/0031775 A1* 1/2014 Criss 604/355

OTHER PUBLICATIONS

Easy Open Bra, Embrace Collection [online]. Fresh Comfort [retrieved on Dec. 16, 2014] . Retrieved from the internet<http://freshcomfortinc.com/bras?product_id=64>.*

* cited by examiner

Primary Examiner — Mary Ann Calabrese
Assistant Examiner — Jennifer L Rempfer
(74) *Attorney, Agent, or Firm* — R. Johnston Law, PLLC

(57) **CLAIM**

The ornamental design for a woman's brassiere, as shown and described.

DESCRIPTION



FIG. 1 is a front view of the woman's brassiere in an unlatched position;
FIG. 2 is a back view of the woman's brassiere in an unlatched position;
FIG. 3 is a front perspective view of the woman's brassiere in an unlatched position;
FIG. 4 is a back perspective view of the woman's brassiere in an unlatched position;
FIG. 5 is an angled perspective view of the woman's brassiere in a latched position on a woman shown in broken lines; and, FIG. 6 is a front perspective view of the woman's brassiere in a latched position on a woman shown in broken lines. Broken lines are used to show environment, namely the person wearing the brassiere, in FIGS. 5 and 6. Other lines appearing broken (although of a different spacing) are stitching.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 1,672,770 A * 6/1928 Mountain 2/112
- 3,507,285 A * 4/1970 Williams 450/1
- 4,911,677 A * 3/1990 White 450/36
- 5,180,326 A * 1/1993 Williams 450/91
- 5,697,830 A * 12/1997 White 450/36
- 6,068,538 A * 5/2000 Alleyne 450/58
- D594,631 S * 6/2009 Reinisch D2/711
- D646,460 S * 10/2011 Da Re D2/706
- D668,430 S * 10/2012 Martin D2/708
- D696,489 S * 12/2013 Dubiski D2/847
- 2006/0025039 A1* 2/2006 Barbour et al. 450/1
- 2009/0233522 A1* 9/2009 Schlatmann 450/39
- 2011/0217903 A1* 9/2011 Harlow 450/54
- 2011/0275277 A1* 11/2011 Martins-Crawbuck et al. 450/77
- 2012/0021669 A1* 1/2012 Johnstone 450/58
- 2012/0094575 A1* 4/2012 Sokolowski et al. 450/92

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6