

US00D733457S

(12) **United States Design Patent**
Pedersen

(10) **Patent No.:** **US D733,457 S**
(45) **Date of Patent:** **** Jul. 7, 2015**

- (54) **POSTER HANGING ROD**
- (71) Applicant: **Magsee GmbH**, Bad Nauheim (DE)
- (72) Inventor: **Tomas Pedersen**, Stovring (DK)
- (73) Assignee: **Magsee GmbH**, Bad Nauheim (DE)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/476,317**
- (22) Filed: **Dec. 12, 2013**

| | | | | | |
|-----------|------|---------|-----------------|-------|--------|
| 6,170,182 | B1 * | 1/2001 | Skypala | | 40/514 |
| 6,305,109 | B1 * | 10/2001 | Lee | | 40/546 |
| 6,474,009 | B2 * | 11/2002 | Hahn | | 40/658 |
| 7,159,347 | B1 * | 1/2007 | Ngan | | 40/514 |
| 7,296,373 | B1 * | 11/2007 | Hahn | | 40/617 |
| D702,969 | S * | 4/2014 | Margulis et al. | | D6/553 |

* cited by examiner

Primary Examiner — Brian N Vinson
(74) *Attorney, Agent, or Firm* — Ware Fressola Maguire & Barber LLP

(57) **CLAIM**
The ornamental design for a poster hanging rod, as shown and described.

Related U.S. Application Data

- (62) Division of application No. 13/579,524, filed as application No. PCT/DK2010/000116 on Aug. 16, 2010, now Pat. No. 8,783,642.

Foreign Application Priority Data

- Sep. 1, 2009 (DK) 2009 00983
- (51) **LOC (10) Cl.** **06-04**
- (52) **U.S. Cl.**
USPC **D6/553**
- (58) **Field of Classification Search**
USPC D6/552, 553, 567, 546, 549, 466
CPC G09F 7/94; G09F 7/18; G09F 15/0062;
G09F 15/0018; G09F 2007/186; G09F 11/29
See application file for complete search history.

References Cited

U.S. PATENT DOCUMENTS

- D320,521 S * 10/1991 Baur D6/553
- D326,027 S * 5/1992 Estes D6/553
- D327,382 S * 6/1992 Cabler D6/466

DESCRIPTION

FIG. 1 is a perspective view of a poster hanging rod, showing my new design, with a poster and two rod supports shown in broken lines, the broken line portions forming no part of the claimed design;

FIG. 2 is a left side view thereof, the right side being a mirror image thereof;

FIG. 3 is a front view thereof, the rear view being a mirror image thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a perspective view of a second embodiment of the invention, the areas between the broken away lines in the second embodiment forming no part of the claimed design;


FIG. 7 is a left side view thereof, the right side being a mirror image thereof;

FIG. 8 is a front view thereof, the rear view being a mirror image thereof;

FIG. 9 is a top view thereof; and,

FIG. 10 is a bottom view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10