



US00D733511S

(12) **United States Design Patent**
Mason

(10) **Patent No.:** **US D733,511 S**
(45) **Date of Patent:** **** Jul. 7, 2015**

(54) **LOOSE WHEEL NUT INDICATOR**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Marchmont Pty Ltd.**, Redlynch (QLD)
(AU)

EP 2642135 A1 * 9/2013 F16B 1/0071

(72) Inventor: **Ronald Robert Mason**, Redlynch (AU)

OTHER PUBLICATIONS

Checkpoint brochure, <http://checkpoint-safety.com/products.html>,
“Indicators with Retaining Function”.*

(73) Assignee: **Marchmont Pty Limited**, Redlynch
(Queensland) (AU)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner — Sheryl Lane

(21) Appl. No.: **29/478,063**

(74) *Attorney, Agent, or Firm* — Abelman, Frayne & Schwab

(22) Filed: **Dec. 31, 2013**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/31**

(58) **Field of Classification Search**
USPC D8/14, 399, 31; D10/122, 103, 83, 127;
411/8–14, 87, 120, 119, 432; 116/283
See application file for complete search history.

(57) **CLAIM**

The ornamental design for a loose wheel nut indicator, as shown and described.

DESCRIPTION


FIG. 1 is a top, front and right side perspective view of a loose wheel nut indicator showing the new design;
FIG. 2 is a bottom, front and right side perspective view thereof;
FIG. 3 is a top plan thereof;
FIG. 4 is a bottom plan thereof;
FIG. 5 is a front elevation thereof;
FIG. 6 is a rear elevation thereof;
FIG. 7 is a right side elevation thereof; and,
FIG. 8 is a left side elevation thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,734,001	A *	3/1988	Bennett	411/119
D411,963	S *	7/1999	Whitley	D10/122
6,450,746	B1 *	9/2002	Kirimoto	411/95
D604,155	S *	11/2009	Marczynski	D8/399
D610,442	S *	2/2010	Marczynski	D8/399
7,891,923	B2 *	2/2011	Marczynski	411/102

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 7