

US00D733519S

(12) **United States Design Patent**
Gokcebay et al.

(10) **Patent No.:** **US D733,519 S**
(45) **Date of Patent:** **** Jul. 7, 2015**

(54) **ELECTRONIC LOCKER LOCK**

D677,145 S * 3/2013 Hsieh et al. D8/346
8,490,443 B2 7/2013 Gokcebay
8,495,898 B2 7/2013 Gokcebay

(71) Applicant: **Security People, Inc.**, Petaluma, CA
(US)

* cited by examiner

(72) Inventors: **Asil T. Gokcebay**, Petaluma, CA (US);
Julian Peck, San Rafael, CA (US); **Kelly Kodama**, Walnut Creek, CA (US)

Primary Examiner — Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm* — Thomas M. Freiburger

(73) Assignee: **Security People, Inc.**, Petaluma, CA
(US)

(57) **CLAIM**
The ornamental design for an electronic locker lock, substantially as shown and described.

(**) Term: **14 Years**

(21) Appl. No.: **29/469,337**

DESCRIPTION

(22) Filed: **Oct. 9, 2013**

(51) **LOC (10) Cl.** **08-07**

(52) **U.S. Cl.**
USPC **D8/330**

(58) **Field of Classification Search**
USPC D8/301, 302, 330, 331, 349, 400, 499;
70/57, 57.1, 14, 20, 91, 92, 102, 141,
70/237, 262, 263, 266, 278.1, 279.1, 416,
70/465, 442, 443, 214, 78, 447; 340/5.6,
340/5.61, 5.64, 5.73, 286.01, 542, 547,
340/545.1, 545.7; 292/336.3, 257, 194,
292/195, 198, 164, 165
CPC E05B 49/00; E05B 41/00; E05B 65/52;
E05B 51/00; E06B 65/00; B65D 55/07
See application file for complete search history.

FIG. 1 is a front left perspective view of a first embodiment of an electronic locker lock according to our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a front left perspective view of a second embodiment of an electronic locker lock according to our new design;
FIG. 8 is a top plan view thereof;
FIG. 9 is a left side view thereof;
FIG. 10 is a front elevation view thereof;
FIG. 11 is a right side view thereof;
FIG. 12 is a bottom plan view thereof;
FIG. 13 is a front left perspective view of a third embodiment of an electronic locker lock according to our new design;
FIG. 14 is a top plan view thereof;
FIG. 15 is a left side view thereof;
FIG. 16 is a front elevation view thereof;
FIG. 17 is a right side view thereof;
FIG. 18 is a bottom plan view thereof;
FIG. 19 is a front left perspective view of a fourth embodiment of an electronic locker lock according to our new design;
FIG. 20 is a top plan view thereof;
FIG. 21 is a left side view thereof;
FIG. 22 is a front elevation view thereof;
FIG. 23 is a right side view thereof;
FIG. 24 is a bottom plan view thereof;

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,187,528 A * 6/1965 Check 70/299
5,020,345 A * 6/1991 Gartner et al. 70/277
5,033,282 A * 7/1991 Gartner et al. 70/278.7
5,941,361 A * 8/1999 Davidovich et al. 192/220.1
6,016,955 A * 1/2000 De Rooij et al. 235/379
D461,111 S * 8/2002 Gartner D8/301
D495,578 S * 9/2004 Sampson et al. D8/330
D512,898 S * 12/2005 Metivier et al. D8/330
D593,398 S * 6/2009 Pelletier et al. D8/330
D630,489 S * 1/2011 Gratzki et al. D8/330
D669,257 S * 10/2012 Hedaya D3/217




FIG. 25 is a front left perspective view of a fifth embodiment of an electronic locker lock according to our new design;
FIG. 26 is a top plan view thereof;
FIG. 27 is a left side view thereof;
FIG. 28 is a front elevation view thereof;
FIG. 29 is a right side view thereof;
FIG. 30 is a bottom plan view thereof;
FIG. 31 is a front left perspective view of a sixth embodiment of an electronic locker lock according to our new design;
FIG. 32 is a top plan view thereof;
FIG. 33 is a left side view thereof;
FIG. 34 is a front elevation view thereof;
FIG. 35 is a right side view thereof;
FIG. 36 is a bottom plan view thereof;
FIG. 37 is a front left perspective view of a seventh embodiment of an electronic locker lock according to our new design;
FIG. 38 is a top plan view thereof;
FIG. 39 is a left side view thereof;
FIG. 40 is a front elevation view thereof;
FIG. 41 is a right side view thereof;
FIG. 42 is a bottom plan view thereof;
FIG. 43 is a front left perspective view of an eighth embodiment of an electronic locker lock according to our new design;
FIG. 44 is a top plan view thereof;
FIG. 45 is a left side view thereof;
FIG. 46 is a front elevation view thereof;
FIG. 47 is a right side view thereof;
FIG. 48 is a bottom plan view thereof;
FIG. 49 is a front left perspective view of a ninth embodiment of an electronic locker lock according to our new design;
FIG. 50 is a top plan view thereof;
FIG. 51 is a left side view thereof;
FIG. 52 is a front elevation view thereof;
FIG. 53 is a right side view thereof;
FIG. 54 is a bottom plan view thereof;
FIG. 55 is a front left perspective view of a tenth embodiment of an electronic locker lock according to our new design;
FIG. 56 is a top plan view thereof;
FIG. 57 is a left side view thereof;
FIG. 58 is a front elevation view thereof;
FIG. 59 is a right side view thereof;
FIG. 60 is a bottom plan view thereof;
FIG. 61 is a front left perspective view of an eleventh embodiment of an electronic locker lock according to our new design;
FIG. 62 is a top plan view thereof;

FIG. 63 is a left side view thereof;
FIG. 64 is a front elevation view thereof;
FIG. 65 is a right side view thereof;
FIG. 66 is a bottom plan view thereof;
FIG. 67 is a front left perspective view of a twelfth embodiment of an electronic locker lock according to our new design;
FIG. 68 is a top plan view thereof;
FIG. 69 is a left side view thereof;
FIG. 70 is a front elevation view thereof;
FIG. 71 is a right side view thereof;
FIG. 72 is a bottom plan view thereof;
FIG. 73 is a front left perspective view of a thirteenth embodiment of an electronic locker lock according to our new design;
FIG. 74 is a top plan view thereof;
FIG. 75 is a left side view thereof;
FIG. 76 is a front elevation view thereof;
FIG. 77 is a right side view thereof;
FIG. 78 is a bottom plan view thereof;
FIG. 79 is a front left perspective view of a fourteenth embodiment of an electronic locker lock according to our new design;
FIG. 80 is a top plan view thereof;
FIG. 81 is a left side view thereof;
FIG. 82 is a front elevation view thereof;
FIG. 83 is a right side view thereof;
FIG. 84 is a bottom plan view thereof;
FIG. 85 is a front left perspective view of a fifteenth embodiment of an electronic locker lock according to our new design;
FIG. 86 is a top plan view thereof;
FIG. 87 is a left side view thereof;
FIG. 88 is a front elevation view thereof;
FIG. 89 is a right side view thereof;
FIG. 90 is a bottom plan view thereof;
FIG. 91 is a front left perspective view of a sixteenth embodiment of an electronic locker lock according to our new design;
FIG. 92 is a top plan view thereof;
FIG. 93 is a left side view thereof;
FIG. 94 is a front elevation view thereof;
FIG. 95 is a right side view thereof; and,
FIG. 96 is a bottom plan view thereof.
Features shown in dashed lines are not part of the claimed design, nor is the rear side.

1 Claim, 16 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48




FIG. 49




FIG. 50




FIG. 51




FIG. 52




FIG. 53




FIG. 54




FIG. 55




FIG. 56




FIG. 57




FIG. 58




FIG. 59




FIG. 60




FIG. 61




FIG. 62




FIG. 63




FIG. 64




FIG. 65




FIG. 66




FIG. 67




FIG. 68




FIG. 69




FIG. 70




FIG. 71




FIG. 72




FIG. 73




FIG. 74




FIG. 75




FIG. 76




FIG. 77




FIG. 78




FIG. 79




FIG. 80




FIG. 81




FIG. 82




FIG. 83




FIG. 84




FIG. 85




FIG. 86




FIG. 87




FIG. 88




FIG. 89




FIG. 90




FIG. 91




FIG. 92




FIG. 93




FIG. 94




FIG. 95




FIG. 96