



US00D733557S

(12) **United States Design Patent**
McAdam

(10) **Patent No.:** **US D733,557 S**
(45) **Date of Patent:** **** Jul. 7, 2015**

(54) **PRODUCT PACKAGING**
(71) Applicant: **Leo Paper Bags Manufacturing (1982) Limited**, Kowloon (HK)
(72) Inventor: **Christine McAdam**, Redondo Beach, CA (US)
(73) Assignee: **Leo Paper Bags Manufacturing (1982) Limited**, Kowloon, Hong Kong (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/436,082**

(22) Filed: **Oct. 31, 2012**

(51) **LOC (10) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/432**

(58) **Field of Classification Search**
USPC D9/737, 414, 420, 421, 422, 431-433, D9/455; 206/232, 308.1, 459.5, 806; 229/116.1, 117.18, 117.15, 131.1, 132, 229/148, 162
CPC B42F 7/14; B65B 5/00; B65D 5/38; B65D 25/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,713,577 A * 1/1973 Skinner 206/424
D261,484 S * 10/1981 Haubert D9/759
D281,146 S * 10/1985 Holewinski D9/761
D283,303 S * 4/1986 Montealegre D9/759
RE33,503 E * 12/1990 Schluger 206/45.29
D339,287 S * 9/1993 Levin D9/737
D353,538 S * 12/1994 Jobit D9/432
D398,527 S * 9/1998 Maceachern et al. D9/432
D425,791 S * 5/2000 Brozzi D9/432
D427,056 S * 6/2000 Irace et al. D9/713

D526,561 S * 8/2006 Dogonos D9/423
D536,246 S * 2/2007 Schneider D9/432
D552,984 S * 10/2007 Baron D9/432
D553,978 S * 10/2007 Shiiya et al. D9/432
D590,708 S * 4/2009 Maguire et al. D9/432
D620,352 S * 7/2010 Liipola et al. D9/432
D623,055 S * 9/2010 Sano D9/422
D628,064 S * 11/2010 Hyp et al. D9/432
D641,621 S * 7/2011 Kusumi et al. D9/432

(Continued)

Primary Examiner — Mark Goodwin

(74) Attorney, Agent, or Firm — Perkins Coie LLP

(57) **CLAIM**

The ornamental design for the product packaging, as shown and described.


DESCRIPTION

FIG. 1 is a front perspective view showing a product packaging in accordance with our new design in a first configuration. FIG. 2 is a front bottom perspective view thereof in a second configuration.

FIG. 3 is a front side view thereof in the first configuration. FIG. 4 is a rear side view thereof in the first configuration. FIG. 5 is a front side view thereof in the second configuration. FIG. 6 is a rear side view thereof in the second configuration. FIG. 7 is a right side view thereof in the first configuration. The left side view is a mirror image of the right side view. FIG. 8 is a top side view thereof in the first configuration. FIG. 9 is top side view thereof in the second configuration. FIG. 10 is a bottom side view thereof in the first configuration; and, FIG. 11 is bottom side view thereof in the second configuration.

Any broken lines, colors, and/or patterns in the drawing are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D649,450 S * 11/2011 Andre et al. D9/432
D652,717 S * 1/2012 Shimoyama et al. D9/432
D654,370 S * 2/2012 Campbell et al. D9/643

D655,155 S * 3/2012 Tekulve et al. D9/432
D655,156 S * 3/2012 Schrimpf et al. D9/432
D655,613 S * 3/2012 De Baschmakoff et al. .. D9/600
D655,614 S * 3/2012 De Baschmakoff et al. .. D9/600
2012/0097572 A1* 4/2012 Mannillo 206/555

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11